

QL

406


M3

1267

UC-NRLF



B 3 361 175



















# CATALOGUE

OF THE

# MOLLUSCA,

IN THE  
COLLECTION

# COLLECTION

OF THE

GOVERNMENT CENTRAL MUSEUM,  
MADRAS.

---

Madras:

PRINTED AT THE ASYLUM PRESS, MOUNT ROAD,  
BY WILLIAM THOMAS.

1867.

QL406

M3

BIOLOGY  
LIBRARY

UNIVERSITY

MUSEUM

COLLECTION

OF THE

GOVERNMENT CENTRAL MUSEUM

MADRAS

1911

PRINTED AT THE ARMY PRESS, MADRAS.  
BY WILLIAM THOMAS.

1911



THIS Catalogue is published with the three-fold object of affording a guide to the collection ; of making known its deficiencies (which are many,) ; and to show what the Museum has to offer in exchange for shells not yet in the collection.

Those species of which there are duplicates are marked with one, two, or three asterisks ; the first indicates that the number is very limited ; the second that it is greater ; and the third that a considerable number is available for exchange.

Examples of shells not in this Catalogue will be thankfully received either as donations or in exchange.

J. MITCHELL, CAPTAIN,

*Superintendent.*

MADRAS, 15th May 1867.





# CATALOGUE

OF THE

## Mollusca,

IN THE COLLECTION OF

THE GOVERNMENT CENTRAL MUSEUM, MADRAS.

CLASS I.—CEPHALOPODA. *Cuvier*, 1798.

ORDER I.—DIBRANCHIATA. *Owen*, 1838.

SUB-ORDER I.—OCTOPODA. *Leach*, 1817.

FAMILY 1.—OCTOPIDÆ. *D'Orbigny*, 1837.

GENUS.—OCTOPUS. *Lamarck*, 1799.

- |               |            |         |                     |
|---------------|------------|---------|---------------------|
| 1 O. aranea.  | D'Orbigny. | Madras. | } Young, in spirit. |
| 2 O. Indicus. | Ruppell.   | „       |                     |

FAMILY 3.—ARGONAUTIDÆ. *Reeve*, 1841.

GENUS.—ARGONAUTA. *Linnaeus*, 1758.

- |                   |          |         |
|-------------------|----------|---------|
| 1 A. tuberculosa. | Lamarck. | Brazil. |
|-------------------|----------|---------|

SUB-ORDER 2.—DECAPODA. *Leach*, 1817.

FAMILY 8.—LOLIGIDÆ. *D'Orbigny*, 1837.

GENUS.—LOLIGO. *Lamarck*, 1799.

- |                   |            |         |                   |
|-------------------|------------|---------|-------------------|
| 1 L. Duvaucellii. | D'Orbigny. | Madras. | Young, in spirit. |
|-------------------|------------|---------|-------------------|

FAMILY 12.—SPIRULIDÆ. *D'Orbigny*, 1837.

GENUS.—SPIRULA. *Lamarck*, 1799.

- |               |          |               |
|---------------|----------|---------------|
| 1 S. Peronii. | Lamarck. | Indian Seas.* |
|---------------|----------|---------------|

ORDER 2.—TETRABRANCHIATA. *Owen*, 1838.

FAMILY.—NAUTILIDÆ. *Owen*, 1838.

GENUS.—NAUTILUS. *Linnaeus*, 1757.

- |                    |           |                         |             |
|--------------------|-----------|-------------------------|-------------|
| 1 N. Pompilius.    | Linnaeus. | a Indian Archipelago.*  |             |
|                    |           | b Port Blair, Andamans. | Lt. McGoun. |
| 2 N. stenomphalus. | Sowerby.  | „                       | Dr. Gamach. |

## CLASS II.—PTEROPODA. *Cuvier*, 1804.

### FAMILY 1.—HYALIDÆ. *D'Orbigny*, 1837.

#### GENUS.—HYALÆA. *Lamarck*, 1799.

- |                          |          |                                 |
|--------------------------|----------|---------------------------------|
| 1 <i>H. gibbosa</i> .    | Rang.    | Hab. ?                          |
| 2 <i>H. inflexa</i> .    | Lesueur. | „                               |
| 3 <i>H. labiata</i> .    | Rang.    | „                               |
| 4 <i>H. tridentata</i> . | Lamarck. | Mediterranean &<br>Indian Seas. |
| 5 <i>H. uncinata</i>     | Rang.    | Hab. ?                          |

#### GENUS.—DIACRIA. *Gray*, 1840.

- |                        |          |                             |
|------------------------|----------|-----------------------------|
| 1 <i>D. trispinosa</i> | Lesueur. | Straits of Gibralt-<br>tar. |
|------------------------|----------|-----------------------------|

#### GENUS.—CLEODORA. *Peron and Lesueur*, 1810.

- |                          |          |                                  |
|--------------------------|----------|----------------------------------|
| 1 <i>C. obtusa</i> .     | Quoy.    | Hab. ?                           |
| 2 <i>C. pyramidata</i> . | Lamarck. | American Seas.                   |
| 3 <i>C. spinifera</i> .  | Rang.    | Indian and Euro-<br>pean Oceans. |

## CLASS III.—HETEROPODA. *Lamarck*, 1812.

### FAMILY 1.—IANTHINÆ. *Lamarck*, 1812.

#### GENUS.—IANTHINA. *Bolten*, 1798.

- |                        |           |                |
|------------------------|-----------|----------------|
| 1 <i>I. africana</i> . | Reeve.    | Madras Coast.* |
| 2 <i>I. fragilis</i> . | Lamarck.  | West Indies.   |
| 3 <i>I. globosa</i> .  | Swainson. | Hab. ?         |
| 4 <i>I. iricolor</i> . | Reeve.    | Madras.        |

#### FAMILY 4.—FIROLIDÆ.

#### GENUS.—CARINARIA. *Lamarck*, 1801.

- |                        |                         |                |
|------------------------|-------------------------|----------------|
| 1 <i>C. fragilis</i> . | Bory de St.<br>Vincent. | Mediterranean. |
|------------------------|-------------------------|----------------|

## CLASS IV.—GASTEROPODA. *Cuvier*, 1798.

### SUB-CLASS 1.—PROSOBRANCHIATA. *Milne Edwards*, 1848.

#### ORDER I.—PECTINIBRANCHIATA. *Cuvier*, 1817.

#### SUB-ORDER 1.—PROBOSCIDIFERA. *H. and A. Adams*, 1853.

#### FAMILY 1.—MURICIDÆ. *Fleming*, 1828.

#### SUB-FAMILY 1.—MURICINÆ. *H. and A. Adams*.

#### GENUS.—MUREX. *Linnaeus*, 1758.



1 <i>M. adustus</i> .	Lamarck.	<i>a</i> Philippines and Ceylon.	
		<i>b</i> Port Blair, An- damans.	
2 <i>M. affinis</i> .	Reeve.	Pacific Ocean.	Sir W. Denison.
3 <i>M. anguliferus</i> .	Lamarck.	<i>a</i> Ceylon.	
	var. entirely brown.	<i>b</i> „	
		<i>c</i> Madras.	
4 <i>M. brassica</i> .	Lamarck.	Gulf of California.	
5 <i>M. erinaceus</i> .	Linnæus.	Mediterranean and British Coasts.	
6 <i>M. fiscellum</i> .	Chemnitz.	Philippines.	
7 <i>M. haustellum</i> .	Linnæus.	Ceylon.*	
8 <i>M. inconspicuus</i> .	Sowerby.	English Channel.	
9 <i>M. Martinianus</i> .	Reeve.	Port Blair, An- damans.	Dr. Gamach.
10 <i>M. maurus</i> .	Broderip.	Port Blair, An- damans.	„
11 <i>M. nigrispinosus</i> .	Reeve.	Port Blair, An- damans, Singapore.	„
12 <i>M. palma-rosæ</i> .	Lamarck.	Ceylon.	
13 <i>M. pinnatus</i> .	Wood.	China.	
14 <i>M. ramosus</i> .	Linnæus.	<i>a</i> Port Blair, An- damans.	Captain W. H. Edgcome.
		<i>b</i> Nassibe.	Sir W. Denison.
		<i>c</i> Young-shell, Eastern seas.	
15 <i>M. regius</i> .	Wood.	Pacific Ocean.	
16 <i>M. salebrosus</i> .	King.	California.	
17 <i>M. ternispina</i> .	Lamarck.	<i>a</i> Philippines.*	
		<i>b</i> Madras.*	
18 <i>M. tenuispina</i> .	„	Trincomallee.	
19 <i>M. tribulus</i> .	Linnæus.	Vizagapatam.	Major Fraser.
20 <i>M. triqueter</i> .	Born.	Port Blair, An- damans.	Dr. Walters.
21 <i>M. truncatus</i> .	?	Toulon.	M. Robillard.
22 <i>M. trunculus</i> .	Linnæus.	Black Sea.	

SUB-FAMILY 2.—FUSINÆ. *H. and A. Adams, 1853.*

GENUS.—FUSUS. *Lamarck, 1799.*

- |                     |          |                  |
|---------------------|----------|------------------|
| 1 <i>F. colus</i> . | Lamarck. | <i>a</i> Ceylon. |
|                     |          | <i>b</i> Madras. |

2	<i>F. corneus.</i>	Deshayes.	British Seas.
3	<i>F. laticostatus.</i>	„	Ceylon.
4	<i>F. longicauda.</i>	Bory.	Vizagapatam.
5	<i>F. multicarinatus.</i>	Lamarck.	Red Sea.
6	<i>F. proboscidiiformis.</i>	„	New Holland.

## GENUS.—PYRULA.

1	<i>P. bezoar.</i>	Lamarck.	Hab. ?
2	<i>P. bucephala.</i>	„	Mexico.
3	<i>P. bulbosa.</i>	Solander.	<i>a</i> Eastern Seas. <i>b</i> do.
4	<i>P. cochlidium.</i>	Linnaeus.	<i>a</i> Torres Straits. <i>b</i> do.
5	<i>P. galeodes.</i>	Lamarck.	Philippines, &c.
6	<i>P. melongena.</i>	„	<i>a</i> West Indies and Eastern Seas. <i>b</i> do.
7	<i>P. Paradisiaca.</i>	Reeve.	<i>a</i> Ceylon, &c. <i>b</i> do.
8	<i>P. pugilina.</i>	Born.	Negapatam.
9	<i>P. spirillus.</i>	Lamarck.	Eastern Seas.

SUB-GENUS.—CYRTULUS. *Hinds, 1843.*

1	<i>C. serotinus.</i>	Hinds.	Marquesas.
---	----------------------	--------	------------

FAMILY 2.—PLEUROTOMIDÆ. *H. and A. Adams.*SUB-FAMILY 1.—PLEUROTOMINÆ. *Swainson, 1840.*GENUS.—PLEUROTOMA. *Lamarck, 1799.*

1	<i>P. crenularis.</i>	Lamarck.	Tranquebar.
2	<i>P. grandis.</i>	Gray.	Indian & Chinese Seas.
3	<i>P. Javana.</i>	DeRoissy.	<i>a</i> Madras.* <i>b</i> Vizagapatam.
4	<i>P. marmorata.</i>	Lamarck.	Malacca.
5	<i>P. nodifera.</i>	„	Madras.*
6	<i>P. virginea.</i>	Beck.	Mouth of the Gambia.

FAMILY 3.—TRITONIIDÆ. *H. and A. Adams.*GENUS.—TRITON. *Lamarck, 1822.*

1	<i>T. ægrotus.</i>	Reeve.	China.
2	<i>T. aquatilis.</i>	„	Philippines.
3	<i>T. bracteatus.</i>	Hinds.	Kingsmill Island. M. Robillard.
4	<i>T. chlorostoma.</i>	Lamarck.	Pacific Ocean.



5	<i>T. cingulatus.</i>	Pfeiffer.	<i>a</i> Philippines. <i>b</i> Madras Coast.
6	<i>T. clandestinus.</i>	Lamarck.	Ceylon.
7	<i>T. clavator.</i>	"	Philippines.
8	<i>T. decipiens.</i>	Reeve.	<i>a</i> " <i>b</i> Madras Coast. <i>c</i> Vizagapatam.
9	<i>T. doliarius.</i>	Lamarck.	Cape of Good Hope.
10	<i>T. lampas.</i>	"	Philippines.
11	<i>T. lotorium.</i>	"	Ceylon.
12	<i>T. Pfeifferianus.</i>	Reeve.	"
13	<i>T. pilearius.</i>	Lamarck.	The Antilles.*
14	<i>T. reticulatus.</i>	DeBlainville.	Mediterranean.
15	<i>T. retusus.</i>	Lamarck.	Ceylon.
16	<i>T. rubecula.</i>	"	Philippines.
17	<i>T. tuberosus.</i>	"	Pacific Ocean.
18	<i>T. variegatus.</i>	"	Eastern Seas.
19	<i>T. vespaceus.</i>	"	New Holland.

(GENUS.—PERSONA. *Montfort*, 1810.

1	<i>P. anus.</i>	Lamarck.	Ceylon.
---	-----------------	----------	---------

GENUS.—RANELLA. *Lamarck*, 1812.

1	<i>R. albovaricosa.</i>	Reeve.	Ceylon.
2	<i>R. bitubercularis.</i>	Lamarck.	Philippines.
3	<i>R. bufonia.</i>	"	"
4	<i>R. foliata.</i>	Broderip.	<i>a</i> Mauritius. <i>b</i> Madras Coast.*
5	<i>R. granifera.</i>	Lamarck.	<i>a</i> Philippines. <i>b</i> Madras Coast.* <i>c</i> Port Blair, Andamans.
6	<i>R. gyrinus.</i>	Deshayes.	Mediterranean and Eastern Seas.
7	<i>R. margaritula.</i>	Deshayes.	Indian Seas.
8	<i>R. spinosa.</i>	Lamarck.	<i>a</i> Ceylon.* <i>b</i> Madras Coast.*
9	<i>R. subgranosa.</i>	Beck.	Bay of Manilla.
10	<i>R. tuberculata.</i>	Broderip.	<i>a</i> Malacca. <i>b</i> Vizagapatam.* <i>c</i> Port Blair, Andamans. Dr. Walters.
11	<i>R. tuberosissima.</i>	Reeve.	Philippine Islands.

## FAMILY 4.—BUCCINIDÆ.

GENUS.—BUCCINUM. *Linnaeus*, 1767.

1 B. aciculatum.	Lamarck.	Martinique.	
2 B. anomalum.	Reeve.	Hab. ?	
3 B. balteatum ?	„	Torres Straits.	
4 B. cingillum ?	„	Hab. ?	
5 B. dentiferum.	Powis	Coast of Chili.	
6 B. erythrostoma.	Reeve.	Madras.*	
7 B. melanostoma.	Sowerby.	Ceylon.	
8 B. obscurum. ?	Kiener.	Coast of Chili.	
9 B. obsoletum.	Say.	Hab. ?*	
10 B. plicosum.	Menke.	„	
11 B. proteus.	Reeve.	Ceylon & Philip- pines.	
12 B. rubiginosum.	„	Red Sea.	
13 B. sericatum ?	Hancock.	Port Blair, An- damans.	Dr. Walters.
14 B. sertum ?	Bruguère.	„	„
15 B. Tranquebari- cum.	Martini.	Tranquebar.	
16 B. Tritonoides.	Cuming.	Port Blair, An- damans.	Dr. Gamach.
17 B. trivittatus.	Say.	Hab. ?	
18 B. undatum.	Lamarck.	Atlantic Ocean.	
19 B. undosum.	Linnaeus.	a Tahiti.	M. Robillard.
		b Straits of Ma- lacca.	

GENUS.—BULLIA. *Gray*, 1835.

1 B. belangeri.	Kiener.	Madras.* * *
2 B. livida.	Reeve.	„ * * *
3 B. mauritiana.	Gray.	Madagascar.
4 B. vittata.	Linnaeus.	a Trincomallee.* *
		b Madras.* * *

GENUS.—PHOS. *DeMontfort*, 1810.

1 P. senticosus.	DeMontfort.	Philippines.
------------------	-------------	--------------

GENUS.—CYLLENE. *Gray*, 1833.

1 C. fuscata.		China Seas.
---------------	--	-------------



GENUS—NASSA. *Lamarck*, 1799.

1 <i>N. arcularia</i> .	Linnæus.	Philippines.* *	
2 <i>N. Bronni</i> .	Philippi.	Java.	
3 <i>N. callospira</i> .	A. Adams.	Philippines.*	
4 <i>N. collaria</i> .	Gould.	<i>a</i> Panama.	
		<i>b</i> Madras.*	
5 <i>N. coromandel</i> .	? Blanford.	Pulicat lake, and	
		Adyar, Madras.*	
6 <i>N. coronata</i> .	Lamarck.	Madagascar.	
7 <i>N. crenulata</i> .	Bruguière.	<i>a</i> Philippines.	
		<i>b</i> Madras.*	
8 <i>N. gaudiosa</i> , var.	Hinds.	Kingsmill Island.	Sir W. Denison.
9 <i>N. gemmulata</i> .	Lamarck.	Philippines.	
10 <i>N. globosa</i> .	Quoy & Gaim-		
	ard.	New Ireland, &c.	
11 <i>N. granifera</i> .	Kiener.	Society Islands.	Sir W. Denison.
12 <i>N. incrassata</i> .	Müller.	British Seas.	
13 <i>N. labida</i> .	Reeve.	Hab. ?	
14 <i>N. olivacea</i> .	Bruguière.	<i>a</i> West Indies.	
		<i>b</i> Port Blair, An-	
		damans.*	
15 <i>N. ornata</i> .	Kiener.	Ceylon.	
16 <i>N. papillosa</i> .	Linnæus.	Port Blair, An-	Dr. Walters.
		damans.	
17 <i>N. planicostata</i> .	A. Adams.	Labuan.	
18 <i>N. pulla</i> .	Linnæus.	Philippines.	
19 <i>N. pygmea</i> .	?	Hab. ?	
20 <i>N. retecosia</i> .	A. Adams.	Labuan.*	
21 <i>N. reticulata</i> .	Linnæus.	British Seas.*	
22 <i>N. seminodoso</i> .	A. Adams.	South Seas.	
23 <i>N. suturalis</i> .	Lamarck.	Madras Coast.	
24 <i>N. Thersites</i> .	Bruguière.	Philippines.*	

GENUS.—EBURNA. *Lamarck*, 1801.

1 <i>E. spirata</i> .	Lamarck.	<i>a</i> Ceylon.*	Dr. W. Traill.
		<i>b</i> Madras.**	Dr. A. Hunter.
2 <i>E. zeylanica</i> .	„	<i>a</i> Ceylon.*	Dr. W. Traill.
		<i>b</i> Madras.*	

## FAMILY 6.—PURPURIDÆ.

GENUS. PURPURA. *Bruguière*, 1789.

1 <i>P. armigera</i> .	Lamarck.	Reunion.	M. Robillard.
2 <i>P. bitubercularis</i> .	„	Philippine Islands.	

3 <i>P. bufo.</i>	Lamarck.	<i>a</i> Madras* *	Miss Mitchell.
		<i>b</i> Pulicat lake* *	
4 <i>P. carinifera.</i>	„	Hab. ?*	
5 <i>P. chocolatum.</i>	Duclos.	Peru.	
6 <i>P. echinata.</i>	DeBlainville.	Hab. ?	
7 <i>P. echinulata.</i>	Lamarck.	Philippines.	
8 <i>P. hippocastanum.</i>	Linnæus.	Eastern Seas.*	
9 <i>P. hystrix.</i>	Lamarck.	Radock Island.	Sir W. Denison.
10 <i>P. imperialis,</i> (young.)	DeBlainville.	Hab. ?	
11 <i>P. inerma.</i>	Reeve.	St. Thomas', West Indies.	
12 <i>P. lapillus.</i>	Linnæus.	<i>a</i> Shores of Eu- rope.*	
		<i>b</i> Britain.	
13 <i>P. madreporum.</i>	?	Reunion.	M. Robillard.
14 <i>P. mancinella.</i>	Linnæus.	Philippines.	
15 <i>P. muricina.</i>	DeBlainville.	„	
16 <i>P. musiva.</i>	Kiener.	„	
17 <i>P. patula.</i>	Linnæus.	„	
18 <i>P. persica.</i>	Lamarck.	Moulmein.	
19 <i>P. pica.</i>	DeBlainville.	<i>a</i> Ceylon.	Sir W. Denison.
		<i>b</i> Port Blair, An- damans.	Capt. Edgcome
20 <i>P. Rudolphi.</i>	Lamarck.	<i>a</i> Philippines.	
		<i>b</i> Andamans.	Lieut. McGoun.
		<i>c</i> Madras.*	
21 <i>P. sacellum.</i>	Chemnitz.	Sadras Coast.	
22 <i>P. trigona.</i>	Reeve.	China & Malacca.	

GENUS.—RICINULA. *Lamarck, 1812.*

1 <i>R. arachnoides.</i>	Lamarck.	Philippines.*	
2 <i>R. aspera.</i>	„	<i>a</i> „	
		<i>b</i> Vizagapatam.	
3 <i>R. cancellata.</i>	?	Reunion.	M. Robillard.
4 <i>R. clathrata.</i>	Lamarck.	Elizabeth Island.	
5 <i>R. horrida.</i>	„	<i>a</i> Philippines.*	
		<i>b</i> Port Blair, An- damans.	Dr. Gamach.
6 <i>R. morus.</i>	?	„	
		Sandwich Islands,	M. Robillard.
		(young.)	
7 <i>R. mutica.</i>	„	Island of Reunion.	„



- 8 *R. spectrum* ? Reeve. *a* Reunion. M. Robillard.  
*b* Mauritius. „  
 9 *R. tuberculata*. DeBlainville. *a* Lord Hood's Is-  
 land.  
*b* Vizagapatam. Sir W. Denison.\*\*

SUB-GENUS.—MORULA. *Schumacher*, 1817.

- 1 *M. bituberculata*. ? Philippines.

GENUS.—MONOCEROS. *Lamarck*, 1809.

- 1 *M. cornigera*. ? California. M. Robillard.  
 2 *M. lugubris*. Sowerby. Nootka Sound.

GENUS.—CONCHOLEPAS. *Lamarck*, 1801.

- 1 *C. peruvianus*. Lamarck. Coast of Peru.

FAMILY 7.—CORALLIOPHILIDÆ.

GENUS.—LEPTOCONCHUS. *Ruppel*, 1834.

- 1 *L. ellipticus*. ? Japan.

GENUS.—MAGILUS. *Montfort*, 1810.

- 1 *M. antiquus*. Lamarck. *a* Red Sea.  
*b* Port Blair Andamans. Dr. Walters.

FAMILY 8.—OLIVIDÆ.

GENUS.—OLIVA. *Bruguère*, 1789.

- 1 *O. angulata*. Chemnitz. Lower California. Sir W. Denison.  
 2 *O. cruenta*. Dillwyn. *a* Zanzibar.  
*b* Port Blair, Andamans.  
 3 *O. elegans*. Lamarck. Feejee Islands.  
 4 *O. erythrostoma*. „ South of the Cape of  
 Good Hope.  
 5 *O. fimbriata*. Reeve. West Indies.\*  
 6 *O. gibbosa*. Born. *a* Ceylon.\* \* \*  
*b* Madras Coast.\*  
 7 *O. inflata*. Lamarck. Zanzibar.  
 8 *O. irisans*. „ *a* Mauritius.\*  
*b* Port Blair, Andamans. Dr. Gamach.  
 9 *O. ispidula*. Linnæus. *a* Philippines.\* \*  
*b* Port Blair, Andamans. Dr. Walters.\*  
*c* Madras Coast. Surgeon E.  
 Balfour.\*\*

10	<i>O. ligneola.</i>	Reeve.	Hab. ?	
11	<i>O. maura.</i>	Lamarck.	<i>a</i> Labuan.*	
			<i>b</i> Port Blair, An-	Dr. Gamach.**
			damans.	
12	<i>O. mustelina.</i>	„	Singapore.	
13	<i>O. mutica.</i>	Say.	West Indies.	
14	<i>O. nebulosa.</i>	Lamarck.	Hab. ?	
15	<i>O. oryza.</i>	„	West Indies.	Dr. W. Traill.
16	<i>O. peruviana.</i>	„	Coast of Peru.	
17	<i>O. ponderoso.</i>	Duclos.	Mauritius.	
18	<i>O. porphyria.</i>	Linnæus.	Panama.	
19	<i>O. reticularis.</i>	Lamarck.	<i>a</i> Gulf of Califor-	
			nia.	
			<i>b</i> Guayra.	
20	<i>O. splendidula.</i>	Sowerby.	Island of Tobago.	
21	<i>O. textilina.</i>	Lamarck.	Philippines.*	
22	<i>O. tremulina.</i>	„	Mauritius.	
23	<i>O. tricolor.</i>	„	„	
24	<i>O. volutella.</i>	„	Panama.	
25	<i>O. zonalis.</i>	„	Mexico.	

GENUS.—ANCILLARIA. *Lamarck*, 1811.

1	<i>A. ampla.</i>	Gmelin.	Madras.* *	
2	<i>A. glabrata.</i>	Swainson.	Gulf of Mexico.	
3	<i>A. torosa.</i>	Meuschen.	Isle of St. Maurice.	

FAMILY 9.—FASCIOLARIIDÆ.

GENUS.—FASCIOLARIA. *Lamarck*, 1799.

1	<i>F. filamentosa.</i>	Lamarck.	<i>a</i> Ceylon.*	
			<i>b</i> Andamans.	Lieut. McGoun.
2	<i>F. persica.</i>	Reeve.	Hab. ?*	
3	<i>F. trapezium.</i>	Lamarck.	<i>a</i> Philippines.	
			<i>b</i> Port Blair, An-	Dr. Walters.
			damans.	
			<i>c</i> Mauritius.	M. Robillard.

FAMILY 10.—TURBINELLIDÆ.

GENUS.—TURBINELLA. *Lamarck*, 1799.

1	<i>T. candelabrum.</i>	Reeve.	Hab. ?	
2	<i>T. cornigera.</i>	Lamarck.	<i>a</i> Moluccas.*	
			<i>b</i> Radock Island.	Sir W. Denison
3	<i>T. gibbula.</i>	Deshayes.	New Holland.	
4	<i>T. polygona.</i>	Lamarck.	Philippines.	



5	<i>T. pyrum.</i>	Lamarck.	<i>a</i> Ceylon. <i>b</i> Madras.	
6	<i>T. rapa.</i>	„	Hab. ?*	
7	<i>T. smaragdulus.</i>	Deshayes.	Andamans.	Lieut. McGoun

## FAMILY 11.—VOLUTIDÆ.

GENUS.—VOLUTA. *Lamarck, 1802.*

1	<i>V. Elliotti.</i>	Sowerby.	W. Australia.	Sir W. Denison.
2	<i>V. imperialis.</i>	Lamarck.	Philippines.	
3	<i>V. interpuncta.</i>	Martyn.	Ceylon.	
4	<i>V. musica.</i>	Linnæus.	W. Indies.	
5	<i>V. rupestris.</i>	Gmelin.	China.	
6	<i>V. scapha.</i>	„	Singapore.	
7	<i>V. undulata.</i>	Lamarck.	Tasmania.	
8	<i>V. vesperilio.</i>	Linnæus.	Philippines.	
9	<i>V. vexillum.</i>	Chemnitz.	Ceylon.	

GENUS.—CYMBIUM. *Klein, 1753.*

1	<i>C. Indica.</i>	Gmelin.	Eastern Seas.*	
2	<i>C. diadema ?</i>	Lamarck.	Rogers Straits.	Sir W. Denison.

GENUS.—MITRA. *Lamarck, 1799.*

1	<i>M. acuminata.</i>	Swainson.	Caroline Isle.	M. Robillard.
2	<i>M. adusta.</i>	Lamarck.	Island of Annaa.	
3	<i>M. amphorella.</i>	„	Labuan.	
4	<i>M. caffra.</i>	„	Philippines.	
5	<i>M. cinctella.</i>	„	Moluccas.	
6	<i>M. coniformis.</i>	?	Tahiti.	M. Robillard.
7	<i>M. corrugata.</i>	Lamarck.	Labuan.	
8	<i>M. crebrilirata.</i>	Reeve.	Ceylon.	Sir W. Denison.
9	<i>M. crenulata.</i>	Lamarck.	Port Blair, An- damans.	Dr. Gamach.
10	<i>M. cucumerina.</i>	„	Sandwich Islands.	M. Robillard.
11	<i>M. digitalis.</i>	Chemnitz.	Port Blair, An- damans.	Dr. Walters.
12	<i>M. episcopalis.</i>	D'Argenville.	Ceylon.	
13	<i>M. ferruginea.</i>	Lamarck.	Sandwich Islands.	M. Robillard.
14	<i>M. filosa.</i>	„	Tahiti.	Sir W. Denison.
15	<i>M. filum.</i>	Wood.	Seychelle Islands.	M. Robillard.
16	<i>M. inquinata.</i>	Reeve.	Hab. ?	?
17	<i>M. literata.</i>	Lamarck.	Howland Isles.	M. Robillard.
18	<i>M. melongena.</i>	„	Singapore.	
19	<i>M. papalis.</i>	„	Island of Annaa.	
20	<i>M. paupercula.</i>	„	Kingsmill Island.	M. Robillard.

- |    |                           |          |                  |
|----|---------------------------|----------|------------------|
| 21 | <i>M. plicata.</i>        | Klein.   | Labuan.          |
| 22 | <i>M. pontificalis.</i>   | Lamarek. | Island of Annaa. |
| 23 | <i>M. sphærolata.</i>     | Martyn.  | Philippines.     |
| 24 | <i>M. stigmataria.</i>    | Lamarek. | Mauritius.       |
| 25 | <i>M. vulpecula, var.</i> | „        | Labuan.          |

GENUS.—MARGINELLA. *Lamarch, 1799.*

- |   |                           |          |  |
|---|---------------------------|----------|--|
| 1 | <i>M. angustata, var.</i> | Sowerby. | Indian Ocean.                          |
| 2 | <i>M. cornea.</i>         | Lamarek. | Senegal, W. Africa.                    |
| 3 | <i>M. cylindracea.</i>    | ?        | Sandwich Islands. <i>M. Robillard.</i> |
| 4 | <i>M. prunum.</i>         | Gmelin.  | <i>a</i> Panama.<br><i>b</i> Senegal.  |
| 5 | <i>M. quinqueplicata.</i> | Lamarek. | Indian Ocean.*                         |

GENUS.—ERATO. *Risso, 1826.*

- |   |                      |       |         |
|---|----------------------|-------|---------|
| 1 | <i>E. Maugeriae.</i> | Gray. | Panama. |
|---|----------------------|-------|---------|

FAMILY 2.—COLUMBELLINÆ.

GENUS.—COLUMBELLA. *Lamarch, 1799.*

- |    |                        |                    |   |
|----|------------------------|--------------------|---|
| 1  | <i>C. avara.</i>       | Say.               | Bay of Massachusetts.   |
| 2  | <i>C. discors.</i>     | Gmelin.            | Philippines.  |
| 3  | <i>C. Duclosiana.</i>  | Sowerby.           | Malacca.  |
| 4  | <i>C. flava.</i>       | Bruguière.         | Hab. ?  |
| 5  | <i>C. fulgurans.</i>   | Lamarek.           | Philippines.  |
| 6  | <i>C. lævigata.</i>    | Linnæus.           | Ceylon. <i>Dr. W. Traill.</i>   |
| 7  | <i>C. mendicaria.</i>  | Lamarek.           | <i>a</i> Indian Seas.<br><i>b</i> Port Blair, Andamans. <i>Dr. Walters.</i> |
| 8  | <i>C. mercatoria.</i>  | Linnæus.           | West Indies.  |
| 9  | <i>C. nitida.</i>      | Lamarek.           | „   |
| 10 | <i>C. pardalina.</i>   | „                  | Philippines.  |
| 11 | <i>C. rustica.</i>     | Linnæus.           | Dalmatia.   |
| 12 | <i>C. tæniata. ?</i>   | Adams and<br>Reeve | Borneo.*  |
| 13 | <i>C. Terpsichore.</i> | Sowerby.           | <i>a</i> Ceylon.*<br><i>b</i> Northern Circars. <i>Sir W. Denison.</i>      |
| 14 | <i>C. varians.</i>     | „                  | Tahiti. <i>M. Robillard.</i>  |
| 15 | <i>C. versicolor.</i>  | „                  | Philippines.  |

FAMILY 13.—HARPIDÆ.

GENUS.—HARPA. *Lamarch, 1799.*

- |   |                  |           |   |
|---|------------------|-----------|---|
| 1 | <i>H. minor.</i> | Rumphius. | <i>a</i> Philippines.<br><i>b</i> Port Blair, Andamans. <i>Dr. Walters.</i> |
|---|------------------|-----------|---|



- |   |                       |           |               |
|---|-----------------------|-----------|---------------|
| 2 | <i>H. nobilis.</i>    | Rumphius. | Philippines.  |
| 3 | <i>H. ventricosa.</i> | Lamarek.  | Mauritius.* * |

## FAMILY 14.—CASSIDIDÆ.

GENUS.—CASSIS. *Lamarck, 1799.*

- |   |                         |          |   |
|---|-------------------------|----------|---|
| 1 | <i>C. areola.</i>       | Lamarck. | <i>a</i> Island of Negros,<br>Philippines.<br><i>b</i> Madras Coast.* |
| 2 | <i>C. canaliculata.</i> | „        | <i>a</i> Philippine Is-<br>lands.<br><i>b</i> Madras Coast.*          |
| 3 | <i>C. cornuta.</i>      | „        | Moluccas, &c.   |
| 4 | <i>C. decussata.</i>    | „        | Singapore.  |
| 5 | <i>C. glauca.</i>       | „        | Philippines.*   |
| 6 | <i>C. pila.</i>         | Reeve.   | China.  |
| 7 | <i>C. rufa.</i>         | Lamarck. | Moluccas.*  |
| 8 | <i>C. torquata.</i>     | Reeve.   | New Holland.  |
| 9 | <i>C. vibex.</i>        | Lamarck. | Port Blair, An- Dr. Walters.<br>damans.                               |

GENUS.—CASSIDARIA. *Lamarck, 1812.*

- |   |                        |          |         |
|---|------------------------|----------|---------|
| 1 | <i>C. echinophora.</i> | Lamarck. | Sicily. |
|---|------------------------|----------|---------|

GENUS.—ONISCIA. *Sowerby, 1825.*

- |   |                       |          |             |
|---|-----------------------|----------|-------------|
| 1 | <i>O. cancellata.</i> | Sowerby. | China Seas. |
|---|-----------------------|----------|-------------|

## FAMILY 15.—DOLIIDÆ

GENUS.—DOLIUM. *Lamarck, 1801.*

- |   |                       |           |  |
|---|-----------------------|-----------|--|
| 1 | <i>D. Chinense.</i>   | Deshayes. | China Seas.  |
| 2 | <i>D. costatum.</i>   | „         | Ceylon. Sir W. Denison.  |
| 3 | <i>D. fasciatum.</i>  | Lamarck.  | <i>a</i> Philippine Ilds.<br><i>b</i> Madras Coast.<br>and Ceylon.*        |
| 4 | <i>D. fimbriatum.</i> | Sowerby.  | Philippines.   |
| 5 | <i>D. maculatum.</i>  | Lamarck.  | Eastern Seas.* *   |
| 6 | <i>D. olearium.</i>   | „         | Ceylon.  |
| 7 | <i>D. perdix.</i>     | „         | Eastern Seas.*   |
| 8 | <i>D. pomum.</i>      | „         | <i>a</i> Philippines and<br>Ceylon.<br><i>b</i> Port Blair, An-<br>damans. |
| 9 | <i>D. variegatum.</i> | Lamarck.  | New Holland.   |

GENUS.—FICULA. *Swainson, 1835.*

- |   |                      |       |        |
|---|----------------------|-------|--------|
| 1 | <i>F. decussata.</i> | Wood. | Hab. ? |
|---|----------------------|-------|--------|

2 F. Dussumieri.	Valenciennes	China.
3 F. lævigata.	Linnæus.	Eastern Seas.*
4 F. reticulata.	Lamarck.	a Sooloo Sea. Borneo. b Negapatam.*

FAMILY 16.—VELUTINIDÆ. *H. and A. Adams.*GENUS.—VELUTINA. *Blainville, 1819.*

1 V. lævigata.	Fleming.	West of England.
----------------	----------	------------------

## FAMILY 17.—NATICIDÆ.

GENUS.—NATICA. *Adamson, 1757.*

1 N. ala-papilionis.	Chemnitz.	Philippines.*	
2 N. albumen.	Lamarck.	Ceylon.	Sir W. Denison.
3 N. aurantia.	„	Philippines.	
4 N. Campechiensis.	Récluz.	Campeachy Bay.	
5 N. Chinensis.	Lamarck.	China and Philip- pine Islands.	
6 N. columnaris.	Récluz.	Philippines.	
7 N. fluctuata.	Sowerby.	„	
8 N. glauca.	Humboldt.	West Columbia.*	
9 N. globosa.	Chemnitz.	Singapore.	
10 N. lineata.	Lamarck.	a Singapore. b Madras.*	
11 N. maculosa.	„	Singapore.	
12 N. mamilla.	„	a Philippines.* b Port Blair, An- damans.	Capt. Edgcome.
13 N. Marochiensis.	„	West Indies.	
14 N. melanostoma.	„	Seychelle Islands	
15 N. monilifera.	„	European Seas.	
16 N. picta.	Récluz.	Philippines.	Sir W. Denison.
17 N. plumbea.	Lamarck.	Brisbane Water, East Coast of Australia.	
18 N. Raynaudiana.	Récluz.	Ceylon.	Sir W. Denison.
19 N. rufa.	Lamarck.	„	„
20 N. simiæ.	Deshayes.	Philippines.	
21 N. tincturata	Reeve.	Madras Coast.	
22 N. triseriata.	Say.	Massachusetts Bay.	
23 N. Zanzibarica.	Récluz.	Thorn.	



GENUS.—SIGARETUS. *Lamarck*, 1801.

- |   |                       |                  |  |               |
|---|-----------------------|------------------|--|---------------|
| 1 | <i>S. concavus.</i>   | <i>Lamarck.</i>  | Bay of Callao,<br>Peru.                          |               |
| 2 | <i>S. Neritoides.</i> | <i>Linnaeus.</i> | <i>a</i> Vizagapatam.<br><i>b</i> West Indies ?* | Major Frazer. |

## FAMILY 18.—SCALARIDÆ.

GENUS.—SCALARIA. *Lamarck*, 1801.

- |   |                      |                 |                    |
|---|----------------------|-----------------|--------------------|
| 1 | <i>S. lamelloso.</i> | <i>Lamarck.</i> | Mediterranean Sea. |
|---|----------------------|-----------------|--------------------|

## FAMILY 19.—TEREBRIDÆ.

GENUS.—TEREBRA. *Bruguère*, 1789.

- |    |                        |                  |   |  |
|----|------------------------|------------------|---|--|
| 2  | <i>T. affinis.</i>     | <i>Gray.</i>     | Island of Radock.   | <i>M. Robillard.</i>                           |
| 3  | <i>T. chlorata</i>     | <i>Lamarck.</i>  | <i>a</i> Island of Radock.<br><i>b</i> „                    | <i>M. Robillard.</i><br><i>Sir W. Denison.</i> |
| 4  | <i>T. cingula.</i>     | <i>Kiener.</i>   | West Indies.  |  |
| 5  | <i>T. cingulifera.</i> | <i>Lamarck.</i>  | Philippines.  |  |
| 6  | <i>T. crenulata.</i>   | <i>Linnaeus.</i> | <i>a</i> Moluccas.<br><i>b</i> Pacific Ocean.               | <i>Sir W. Denison.</i>                         |
| 7  | <i>T. dimidiata.</i>   | „                | Society Islands.*   |  |
| 8  | <i>T. duplicata.</i>   | „                | Zanzibar.*  |  |
| 9  | <i>T. maculata.</i>    | „                | Society Islands.  |  |
| 10 | <i>T. muscaria.</i>    | <i>Lamarck.</i>  | Philippines.  |  |
| 11 | <i>T. myuros.</i>      | „                | <i>a</i> Moluccas, &c.<br><i>b</i> Madras Coast*            |  |
| 12 | <i>T. oculata.</i>     | „                | Pacific Ocean.  | <i>Sir W. Denison.</i>                         |
| 13 | <i>T. strigata.</i>    | <i>Sowerby.</i>  | Panama, &c.   |  |
| 14 | <i>T. strigilata.</i>  | <i>Linnaeus.</i> | Philippines.  |  |
| 15 | <i>T. subulata.</i>    | „                | <i>a</i> Society Islands.<br><i>b</i> Port Blair, Andamans. | <i>Dr. Walters.</i>                            |
| 16 | <i>T. tigrina.</i>     | <i>Gmelin.</i>   | Island of Radock.   | <i>M. Robillard.</i>                           |
| 71 | <i>T. Traillii.</i>    | <i>Deshayes.</i> | <i>a</i> Vizagapatam.<br><i>b</i> „                         | <i>Major Fraser.</i><br><i>Sir W. Denison.</i> |

FAMILY 20.—PUSIONELLIDÆ. *Gray*, 1857.GENUS.—PUSIONELLA. *Gray*, 1850.

- |   |                    |               |          |
|---|--------------------|---------------|----------|
| 1 | <i>P. rapulum.</i> | <i>Reeve.</i> | Malacca. |
|---|--------------------|---------------|----------|

## FAMILY 21.—PYRAMIDELLIDÆ.

GENUS.—PYRAMIDELLA. *Lamarck*, 1796.

- |   |                       |                  |              |                       |
|---|-----------------------|------------------|--------------|-----------------------|
| 1 | <i>P. cineta.</i>     | <i>Reeve.</i>    | Philippines. |                       |
| 2 | <i>P. punctata.</i>   | <i>Chemnitz.</i> | Moluccas.    |                       |
| 3 | <i>P. terebellum.</i> | <i>Lamarck.</i>  | West Indies. | <i>Dr. W. Traill.</i> |

GENUS.—RINGICULA. *Deshayes*, 1838.

- 1 *R. caron*. Philippines.

GENUS.—CHEMNITZIA. *D'Orbigny*, 1839.

- 1 *C. rufa*. Britain.

GENUS.—ODOSTOMIA. *Fleming*, 1848.

- 1 *O. conoides*. Britain.  
2 *O. unidentata*. Fleming. Loch Fine.

GENUS.—MONOPTYGMA. *Lea*, 1833.

- 1 *M. striata*. ? Japan.

FAMILY 22.—EULIMIDÆ. *H. and A. Adams*, 1854.GENUS.—EULIMA. *Risso*, 1826.

- 1 *E. distorta*. Deshayes. European Ocean.  
2 *E. polita*. Linnæus. „

## FAMILY 23.—STYLIFERIDÆ.

GENUS.—STYLIFER. *Broderip*, 1832.

- 1 *S. Turtoni*. Broderip. Britain.

## FAMILY 25.—SOLARIIDÆ.

GENUS.—SOLARIUM. *Lamarck*, 1799.

- 1 *S. lævigatum*. Lamarck. Madras Coast.\*  
2 *S. maximum*. Philippi. Java & Ceylon.\*  
3 *S. perspectivum*. Lamarck. Indian Ocean.\*  
4 *S. stramineum*. „ Covalum, near Madras.

SUB-ORDER 2.—TOXIFERA. *Gray*.FAMILY 27.—CONIDÆ. *H. and A. Adams*.GENUS.—CONUS. *Linnaeus*, 1758.

- 1 *C. achatinus*. Chemnitz. Indian Ocean.  
2 *C. acuminatus*. Hwass. Red Sea.  
3 *C. amadis*. Martini. Ceylon.\*  
4 *C. araneosus*. Hwass. a „  
b Port Blair, An- Capt. Edgecome.  
damans.  
5 *C. arenatus*. „ Ceylon.  
6 *C. augur*. „ „ &c.  
7 *C. aulicus*. Linnæus. „  
8 *C. betulinus*. „ „ \*



9 <i>C. capitaneus</i> .	Linnaeus.	<i>a</i> Asiatic Seas.	
		<i>b</i> Port Blair, An-	Dr. Gamach.
		damans.	
10 <i>C. catus</i> .	Hwass.	"	"
11 <i>C. consors</i> .	Sowerby.	Ceylon.	
12 <i>C. distans</i> .	Hwass.	Reunion.	M. Robillard.
13 <i>C. eburneus</i> .	"	Ceylon.	
14 <i>C. episcopus</i> .	Lamarck.	<i>a</i> "	
		<i>b</i> Port Blair, An-	Dr. Gamach.
		damans.	
15 <i>C. figulinus</i> .	Linnaeus.	<i>a</i> Ceylon*	
		<i>b</i> Madras.*	
16 <i>C. flavidus</i> .	Lamarck.	Kingsmill Island.	M. Robillard.
17 <i>C. generalis</i> .	Linnaeus.	Ceylon.	
18 <i>C. geographus</i> .	"	<i>a</i> Mauritius, &c.	
		<i>b</i> Port Blair, An-	Capt. Edgcome.
		damans.	
19 <i>C. glans</i> .	Hwass.	Philippines.	
20 <i>C. gubernator</i> .	"	Diego.	M. Robillard.
21 <i>C. hebraeus</i> .	Linnaeus.	<i>a</i> Ceylon.	
		<i>b</i> Port Blair, An-	Capt. Edgcome.
		damans.	
22 <i>C. imperialis</i>	Linnaeus.	Philippines.	
23 <i>C. interruptus</i> .	Broderip and		
	Sowerby.	Pacific Ocean.	
24 <i>C. literatus</i>	Linnaeus.	<i>a</i> Ceylon.	
		<i>b</i> Andamans.	Lt. McGoun.
25 <i>C. lividus</i> .	Hwass.	Society Islds.*	
26 <i>C. magus</i> .	Linnaeus.	Philippines.	
27 <i>C. mallaccanus</i> .	Lamarck.	Hab. ?	
28 <i>C. marmoreus</i> .	Linnaeus.	Ceylon, &c.	Sir W. Denison.
29 <i>C. miles</i> .	"	<i>a</i> "	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
30 <i>C. miliaris</i> .	Hwass.	China.	
31 <i>C. millepunctatus</i>	Lamarck.	Island of Annaa.	
32 <i>C. minimus</i> .	Linnaeus.	Sandwich Islands	Sir W. Denison.
33 <i>C. mitratus</i> .	Hwass.	Port Blair, An-	Dr. Gamach.
		damans.	
34 <i>C. monile</i> .	"	Ceylon.*	
35 <i>C. mustellinus</i> .	"	Isld. of Bohol, &c.	

36	<i>C. nussatella.</i>	Linnaeus.	<i>a</i> Philippines.	
			<i>b</i> Port Blair, An-	Capt. Edgcome.
			damans.	
37	<i>C. obesus.</i>	Hwass.	Ceylon.*	
38	<i>C. obscurus.</i>	Humphreys.	<i>a</i> Philippines.	
			<i>b</i> Port Blair, An-	
			damans.	
39	<i>C. papilionaceus.</i>	Hwass.	Mouth of the	
			Gambia.	
40	<i>C. pulicarius.</i>	„	Moluccas.	
41	<i>C. punctatus.</i>	Chemnitz.	Vizagapatam.	Sir W. Denison.
42	<i>C. quercinus.</i>	Hwass.	Ceylon.	
43	<i>C. regularis.</i>	Sowerby.	Gulf of Nicoya,	
			&c.	
44	<i>C. sponsalis.</i>	?	Kingsmill Island.	M. Robillard.
45	<i>C. striatus.</i>	Linnaeus.	<i>a</i> Ceylon.*	
			<i>b</i> Port Blair, An-	
			damans.	
46	<i>C. sulcatus.</i>	Hwass.	China.	
47	<i>C. Taheitensis.</i>	„	Tahiti.	M. Robillard.
48	<i>C. terebellum.</i>	Martini.	Philippines.	
49	<i>C. terminus.</i>	Lamarck.	Ceylon.	
50	<i>C. tessellatus.</i>	Born.	„ *	
51	<i>C. textile.</i>	Linnaeus.	<i>a</i> „	
			<i>b</i> Andamans.	Capt. Edgcome.
			<i>c</i> „	Lt. McGoun.
52	<i>C. tulipa.</i>	Linnaeus.	Island of Annaa.	
53	<i>C. vermiculatus.</i>	?	Reunion.	M. Robillard.
54	<i>C. vexillum.</i>	Martini.	Philippines.	
55	<i>C. virgo.</i>	Linnaeus.	Ceylon, &c.*	
56	<i>C. viridulus.</i>	Lamarck.	„	Sir W. Denison.
57	<i>C. vitulinus.</i>	Hwass.	Tahiti.	„
58	<i>C. zonatus.</i>	„	Eastern Ocean.	

## SUB-ORDER 3.—ROSTRIFERA. Gray.

## FAMILY 28.—STROMBIDÆ. D'Orbigny.

## GENUS.—STROMBUS. Linnaeus, 1740.

1	<i>S. auris, Dianæ</i>	Linnaeus.	Ind. Archipelago.	
2	<i>S. australis.</i>	Sowerby.	W. Australia.	Sir W. Denison.
3	<i>S. canarium.</i>	Linnaeus.	<i>a</i> Ceylon.*	
			<i>b</i> Labuan.	
4	<i>S. dentatus.</i>	„	Indian Seas.	



5 <i>S. elegans</i> .	Sowerby.	Burmah.	
6 <i>S. epidromus</i> .	Linnæus.	Philippines.	
7 <i>S. floridus</i> .	Lamarck.	<i>a</i> Seychelle Islds.	
		<i>b</i> Mauritius.	
8 <i>S. gibberulus</i> .	Linnæus.	<i>a</i> Philippines.	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
		<i>c</i> Isld. of Radock.	Sir W. Denison.
9 <i>S. gigas</i> .	Linnæus.	The Antilles.	
10 <i>S. granulatus</i> .	Gray.	South Seas.	
11 <i>S. Isabella</i> .	Lamarck.	Singapore.	
12 <i>S. lentiginosus</i> .	Linnæus.	<i>a</i> Indian Seas.	
		<i>b</i> „ , young.	
13 <i>S. Lubuanus</i> .	„	Indian Seas.	
14 <i>S. maculatus</i> .	Nuttall.	Kingsmill Island.	M. Robillard.
15 <i>S. marginatus</i> .	Linnæus.	Indian Seas.	
16 <i>S. Mauritianus</i> .	Lamarck.	Ceylon.*	
17 <i>S. papilio</i> .	Chemnitz.	„	Sir W. Denison.
18 <i>S. pugilis</i> .	Linnæus.	The Antilles.	
19 <i>S. succinctus</i> .	„	Indian Seas.*	
20 <i>S. tricornis</i> .	Lamarck.	Red sea.	
21 <i>S. urceus</i> .	Linnæus.	<i>a</i> Singapore.	
		<i>b</i> Indian Seas.	
22 <i>S. variabilis</i> .	Swainson.	<i>a</i> Philippines.	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
23 <i>S. vittatus</i> .	Linnæus.	Philippines.	

GENUS.—PTEROCERA. *Lamarck*, 1799.

1 <i>P. aurantia</i> .	Lamarck.	<i>a</i> Ceylon.	
		<i>b</i> „ , young.	
2 <i>P. bryonia</i> .	Chemnitz.	<i>a</i> „ *	
		<i>b</i> Port Blair, An-	Capt. Edgcome.
		damans.	
3 <i>P. chiragra</i> .	Linnæus.	Ceylon.	
4 <i>P. lambis</i> .	„	Indian Seas.*	
5 <i>P. scorpius</i> .	„	<i>a</i> „	
		<i>b</i> Port Blair, An-	Dr. Gamach.
		damans.	
6 <i>P. violacea</i> .		Cargados Island,	M. Robillard.
		very rare.	

GENUS.—ROSTELLARIA. *Lamarck*, 1799.

- |                           |                  |                   |                 |
|---------------------------|------------------|-------------------|-----------------|
| 1 <i>R. cancellata.</i>   | <i>Lamarck.</i>  | <i>a</i> Ceylon.  |                 |
|                           |                  | <i>b</i> Burmah.  |                 |
| 2 <i>R. curvirostris.</i> | „                | <i>a</i> Red Sea. |                 |
|                           |                  | <i>b</i> Nassibe. | Sir W. Denison. |
| 3 <i>R. fusus.</i>        | <i>Linnaeus.</i> | Labuan.           |                 |

GENUS.—CHENOPUS. *Philippi*, 1836.

- |                           |                 |                   |
|---------------------------|-----------------|-------------------|
| 1 <i>C. pes-pelecani.</i> | <i>Lamarck.</i> | Coasts of Europe. |
|---------------------------|-----------------|-------------------|

GENUS.—STRUTHIOLARIA. *Lamarck*, 1812.

- |                       |                |              |
|-----------------------|----------------|--------------|
| 1 <i>S. papulosa.</i> | <i>Martyn.</i> | New Zealand. |
|-----------------------|----------------|--------------|

GENUS.—TEREBELLUM. *Lamarck*, 1809.

- |                        |                  |         |
|------------------------|------------------|---------|
| 1 <i>T. punctatum.</i> | <i>Linnaeus.</i> | Ceylon. |
|------------------------|------------------|---------|

FAMILY 29.—CYPRÆIDÆ. *Gray*, 1824.GENUS.—CYPRÆA. *Linnaeus*, 1740.

- |                              |                  |                                |                |
|------------------------------|------------------|--------------------------------|----------------|
| 1 <i>C. algoensis.</i>       | <i>Reeve.</i>    | Algoa Bay, South Africa.       |                |
| 2 <i>C. annulus.</i>         | <i>Linnaeus.</i> | <i>a</i> Eastern Seas.*        |                |
|                              |                  | <i>b</i> Port Blair, Andamans. | Dr. Walters.   |
| 3 <i>C. Arabica.</i>         | „                | <i>a</i> Eastern Seas.* *      |                |
|                              |                  | <i>b</i> Port Blair, Andamans. | Dr. Walters.   |
| 4 <i>C. Arabicula.</i>       | <i>Lamarck.</i>  | St. Elena, West Columbo.       |                |
| 5 <i>C. Argus.</i>           | <i>Linnaeus.</i> | Port Blair, Andamans.          | Dr. Walters.   |
| 6 <i>C. assellus.</i>        | „                | <i>a</i> West Indies.          |                |
|                              |                  | <i>b</i> Port Blair, Andamans. | Dr. Walters.   |
|                              |                  | <i>c</i> „                     | Capt. Edgcome. |
| 7 <i>C. australis.</i>       | <i>Lamarck.</i>  | New Holland.                   |                |
| 8 <i>C. caput-serpentis.</i> | <i>Linnaeus.</i> | <i>a</i> Pacific Ocean.*       |                |
|                              |                  | <i>b</i> Port Blair, Andamans. | Dr. Walters.   |
|                              |                  | <i>c</i> „                     | Capt. Edgcome. |
| 9 <i>C. carneola.</i>        | „                | <i>a</i> Isle of Annam.*       |                |
|                              |                  | <i>b</i> Port Blair, Andamans. | Dr. Gamach.    |



10 <i>C. caurica</i> .	Linnaeus.	<i>a</i> Eastern Seas.* *	
		<i>b</i> Port Blair, Andamans.	Dr. Walters.
11 <i>C. Childreni</i> .	Grey.	Isle of Annaa.	
12 <i>C. cicercula</i> .	Linnaeus.	<i>a</i> „	
		<i>b</i> Port Blair, Andamans.	
13 <i>C. clandestina</i> .	„	<i>a</i> Ceylon.	
		<i>b</i> Port Blair, Andamans.	Dr. Walters.
14 <i>C. cribaria</i> .	„	<i>a</i> Ceylon.	Sir W. Denison.
		<i>b</i> „, young.	„
		<i>c</i> Port Blair, Andamans.	Dr. Gamach.
15 <i>C. cylindrica</i> .	Born.	Ceylon.	
16 <i>C. diliculum</i> .	Linnaeus.	Philippines.	
17 <i>C. erronea</i> .	„	<i>a</i> Eastern Seas.*	
		<i>b</i> Port Blair, Andamans.	Dr. Walters.
18 <i>C. erosa</i> .	„	<i>a</i> Ceylon, Mauritius, &c.	Dr. Walters.*
		<i>b</i> Andamans.	Lieut. McGoun.
19 <i>C. Europæa</i> .	Montague.	Shores of Britain.*	
20 <i>C. felina</i> .	Gray.	<i>a</i> Madras.	
		<i>b</i> Port Blair, Andamans.	Dr. Walters.
21 <i>C. fimbriata</i> .	Gmelin.	Japan.	
22 <i>C. gangrenosa</i> .	Solander	Hab. ?	
23 <i>C. globulus</i> .	Linnaeus.	<i>a</i> East Indies.	
		<i>b</i> Port Blair, Andamans.	Dr. Walters.
24 <i>C. helvola</i> .	„	Ceylon.*	
25 <i>C. insecta</i> .	?	Sandwich Islands.	M. Robillard.
26 <i>C. interrupta</i> .	Gray.	Ceylon.	
27 <i>C. Isabella</i> .	Linnaeus	<i>a</i> Mauritius.*	
		<i>b</i> Port Blair, Andamans.	Dr. Walters.
28 <i>C. Lamarkii</i> ?	Gray.	Ceylon.	Sir W. Denison.
29 <i>C. lynx</i> .	Linnaeus.	<i>a</i> „ *	
		<i>b</i> Port Blair, Andamans.	Dr. Walters.
		<i>c</i> „	Capt. Edgcome.

30	<i>C. maculata.</i>	Barnes.	Polynesian Islands.	Sir W. Denison.
31	<i>C. mappa.</i>	Linnæus.	<i>a</i> Isle of Annaa.	
			<i>b</i> Port Blair, Andamans.	Dr. Walters.
32	<i>C. Mauritiana.</i>	„	<i>a</i> Mauritius.*	
			<i>b</i> Port Blair, Andamans.	Capt. Edgcome.
			<i>c</i> „	Lieut. McGoun.
			<i>d</i> „	Dr. Walters.
33	<i>C. miliaris.</i>	Gmelin.	Japan.	
34	<i>C. moneta.</i>	Linnæus.	<i>a</i> Tahiti.*	
			<i>b</i> Madras.	
35	<i>C. mus.</i>	„	Hab. ?	
36	<i>C. neglecta.</i>	Sowerby.	Mauritius.	
37	<i>C. nucleus.</i>	Linnæus.	<i>a</i> Hab. ?	
			<i>b</i> Port Blair, Andamans.	
38	<i>C. ocellata.</i>	„	<i>a</i> Eastern Seas.*	
			<i>b</i> Vizagapatam.	Major Fraser.
39	<i>C. onyx.</i>	Linnæus.	<i>a</i> California.	
			<i>b</i> Port Blair, Andamans.	Dr. Walters.
40	<i>C. oryza.</i>	Lamarck.	<i>a</i> Philippines.	
			<i>b</i> Port Blair, Andamans.	Dr. Gamach.
41	<i>C. pantherina.</i>	Solander.	Red Sea.	
42	<i>C. pediculus.</i>	Linnæus.	West Indies.	
43	<i>C. piperata.</i>	Solander.	New Holland.	
44	<i>C. poraria.</i>	Linnæus.	Tahiti.	
45	<i>C. punctatata.</i>	„	Port Blair, Andamans.	Dr. Gamach.
46	<i>C. pustulata.</i>	Lamarck.	Island of Plata, N. America.	
47	<i>C. pyriformis.</i>	Gray.	Ceylon.	
48	<i>C. quadrimaculata.</i>	„	Hab. ?	
49	<i>C. reticulata.</i>	Martyn.	Eastern Seas.	
50	<i>C. Scottii</i>	Broderip.	W. Australia.	Sir W. Denison.
51	<i>C. scurra.</i>	Chemnitz.	<i>a</i> Isle of Annaa.	
			<i>b</i> Port Blair, Andamans.	Dr. Walters.
52	<i>C. spurca.</i>	Linnæus.	Adriatic Gulph.	M. Robillard.



53 <i>C. staphylea</i> .	Linnaeus.	<i>a</i> Philippines.	
		<i>b</i> Port Blair, An-	Dr. Gamach.
		damans.	
54 <i>C. stolid</i> a.	"	Ceylon.	
55 <i>C. talpa</i> .	"	<i>a</i> Eastern Seas.	
		<i>b</i> Port Blair, An-	Dr. Walters.
		damans.	
		<i>c</i> "	Capt.Edgecome.
56 <i>C. testitudinaria</i> .	"	Mauritius.	
57 <i>C. thersites</i> .	Gascoigne.	Australia.	
58 <i>C. tigris</i> .	Linnaeus.	<i>a</i> Eastern Seas.*	
		<i>b</i> Port Blair, An-	Lieut.McGoun.
		damans.	
		<i>c</i> "	Capt.Edgecome.
59 <i>C. turdus</i> .	Lamarck.	Hab. ?	
60 <i>C. ventriculus</i>	"	Isle of Annaa.	
61 <i>C. vitellus</i> .	Linnaeus.	Port Blair, An-	Dr. Walters.
		damans.*	
62 <i>C. zigzag</i> .	"	Mozambique.	

GENUS.—OVULUM. *Bruguère, 1789.*

1 <i>O. ovum</i> .	Linnaeus.	<i>a</i> Port Blair, An-	Dr. Walters.*
		damans.	
		<i>b</i> "	Capt.Edgecome.
		<i>c</i> "	Dr. Gamach.
2 <i>O. verrucosum</i> .	"	Port Blair, An-	Dr. Walters.
		damans.	
3 <i>O. volva</i> .	"	West Indies.	Sir W.Denison.

FAMILY 30.—CANCELLARIIDÆ. *H. and A. Adams.*

GENUS.—CANCELLARIA. *Lamarck, 1799.*

1 <i>C. bifasciata</i> .	Deshayes.	Straits of Malacca.	
2 <i>C. hystrix</i> .	Reeve.	Mauritius.	
3 <i>C. lamellosa</i> .	Hinds.	Indian Archipelago.	
4 <i>C. Littorinæformis</i> .	Sowerby.	Ceylon.	Sir W.Denison.
5 <i>C. mangelioides</i> .	Reeve.	Hab. ?	

FAMILY 31.—TRICHOTROPIDÆ.

GENUS.—TRICHOTROPIS. *Sowerby and Broderip, 1826.*

1 <i>T. cancellata</i> .	Hinds.	Vancouver's Isld.	
--------------------------	--------	-------------------	--

FAMILY.—CERITHIIDÆ.

GENUS.—CERITHIUM. *Bruguère, 1789.*

1 <i>C. alveola</i> .	?	Tahiti.	Sir W.Denison.
-----------------------	---	---------	----------------

2	<i>C. granosum.</i>	Kiener.	New Holland.	
3	<i>C. litteratum.</i>	Born.	West Indies.	
4	<i>C. morus.</i>	Lamarck.	<i>a</i> Bay of Bengal.	
			<i>b</i> Vizagapatam.	Major Fraser.
5	<i>C. nodulosum.</i>	Bruguère.	<i>a</i> Port Blair, An-	Capt. Edgecome.
			damans.	
			<i>b</i> Red Sea.	
6	<i>C. palustre.</i>	„	<i>a</i> Port Blair, An-	Dr. Gamach.
			damans.	
			<i>b</i> East Indies.*	
7	<i>C. reticulatum.</i>	Costa.	Cornwall, England.	
8	<i>C. rugosum.</i>	Wood.	<i>a</i> Tahiti.	Sir W. Denison.
			<i>b</i> New Holland.	

GENUS.—VERTAGUS. *Klein.*

1	<i>V. fasciatus.</i>	Bruguère.	East Indies.	
2	<i>V. gemmatus.</i>	Hinds ?	Acapulco.	Sir W. Denison.
3	<i>V. lineatus.</i>	Lamarck.	Port Blair, An-	Capt. Edgecome.
			damans.	
4	<i>V. obeliscus.</i>	Bruguère.	<i>a</i> Singapore.*	
			<i>b</i> Labuan.	
			<i>c</i> Port Blair, An-	Dr. Walters.
			damans.	
			<i>d</i> Kingsmill Island.	M. Robillard.
5	<i>V. Sowerbyi.</i>	Kiener.	Hab. ?	
6	<i>V. vulgaris.</i>	Schumacher.	<i>a</i> East Indies.*	
			<i>b</i> Port Blair, An-	Dr. Gamach.
			damans.	

GENUS.—TELESCOPIUM. *Montfort, 1810.*

1	<i>T. fuscum.</i>	Schumacher.	<i>a</i> East Indies.	
			<i>b</i> Pulicat Lake.	

GENUS.—CERITHIDEA. *Swainson, 1840.*

1	<i>C. decollata.</i>	Linnaeus.	Hab. ?	
2	<i>C. Lafondii.</i>	Michaud.	Jamaica.	
3	<i>C. obtusa.</i>	Wood.	Seas of Timor.	
4	<i>C. quadrata.</i>	Sowerby.	Malacca.	

## FAMILY 33.—MELANIIDÆ.

GENUS.—MELANIA. *Lamarck, 1799.*

1	<i>M. acuta.</i>	Lea.	Georgia, U. States.	
2	<i>M. Australis.</i>	Reeve.	Victoria River, N.	
			Australia.*	



3	<i>M. balteata.</i>	Reeve.	Ceylon.	
4	<i>M. collistricata.</i>	"	Madras.* * *	
5	<i>M. corrugata.</i>	Lamarck.	India.*	
6	<i>M. crenulata.</i>	Chemnitz.	<i>a</i> River Irrawadi, Burmah. <i>b</i> Philippine Islands.	
7	<i>M. episcopalis.</i>	Lea.	Malacca.	
8	<i>M. flammulata.</i>	Von dem Busch.	Labuan.	
9	<i>M. gemmulata.</i>	Reeve.	Calcutta.	
10	<i>M. gracilior.</i>	Anthony.	Ohio.	
11	<i>M. Herculea.</i>	Gould.	Ceylon.	
12	<i>M. lyrata.</i>	Menke.	Sikkim-Himalaya.	
13	<i>M. manciensis.</i>	?	Sandwich Islands.	M. Robillard.
14	<i>M. Newcombi.</i>	?	"	"
15	<i>M. pyramis.</i>	Benson.	<i>a</i> Borneo.* var. <i>b</i> Ceylon,	
16	<i>M. spinulosa.</i>	Lamarck.	<i>a</i> " <i>b</i> Calcutta.	
	" young.			
17	<i>M. subsolida.</i>	Lea.	Indiana.	
18	<i>M. tuberculata.</i>	Müller.	Calcutta & vicinity of Madras.* * *	
19	<i>M. variabilis.</i>	Benson.	Bengal.	
20	<i>M. virgulata.</i>	Ferussac.	Pulla River, near Cuddapah.*	Miss S. Mitchell.

GENUS.—LEPTOXIS. *Rafinesque*, 1819.

1	<i>L. geniculatus.</i>	Haldeman.	Tennessee, United States.
---	------------------------	-----------	---------------------------

GENUS.—MELANOPSIS. *Ferussac*, 1807.

1	<i>M. cariosa.</i>	Linnaeus.	Spain ?
2	<i>M. prærosa.</i>	"	"

GENUS.—PIRENA. *Lamarck*, 1812.

1	<i>P. atra.</i>	Müller.	Calcutta & Ceylon.	
2	<i>P. spinosa.</i>	Lamarck.	Madagascar.	Sir W. Denison.

FAMILY 34.—LITTORINIDÆ. *Gray*, 1840.

GENUS.—LITTORINA. *Ferussac*, 1821.

1	<i>L. carnifera.</i>	Menke.	Java.*	
2	<i>L. columellaris.</i>	D'Orbigny.	Pernambuco.	
3	<i>L. conica.</i>	Philippi.	Japan.	M. Robillard.
4	<i>L. conspersa.</i>	?	Panama.	Sir W. Denison.
5	<i>L. fasciata.</i>	Gray.	"	"

6	<i>L. irrorata.</i>	Say.	Sitka, U. States.	Sir W. Denison.
7	<i>L. lævis.</i>	Philippi.	<i>a</i> Calcutta.	
			<i>b</i> Island of Reunion.	M. Robillard.
8	<i>L. littoralis.</i>	Linnaeus.	Britian, &c.*	
9	<i>L. littorea.</i>	„	Atlantic shores of Europe.	
10	<i>L. Malaccana.</i>	Philippi.	<i>a</i> Ceylon.	
			<i>b</i> Madras.**	
11	<i>L. melanostoma.</i>	Gray.	Singapore.	
12	<i>L. muricata.</i>	Linnaeus.	West Indies.	
13	<i>L. Newcombi.</i>	Reeve.	Sandwich Islands.	M. Robillard.
14	<i>L. obesa.</i>	Sowerby.	Philippines.	
15	<i>L. obligata.</i>	Say.	Maine, U. States.	
16	<i>L. palliata.</i>	„	United States.*	
17	<i>L. picta.</i>	Philippi.	Sandwich Islands.	M. Robillard.
18	<i>L. pintado.</i>	Wood.	Island of Reunion.	„
19	<i>L. plena.</i>	?	San Francisco.	„
20	<i>L. reticulata.</i>	?	Island of Reunion.	„
21	<i>L. rudis.</i>	Donovan.	Britain, & U. States.	
22	<i>L. scabra.</i>	Linnaeus.	Philippines.	
23	<i>L. Sitchana.</i>	Philippi.	Sitka, North West Coast, America.	Sir W. Denison.
24	<i>L. tenebrosa.</i>	Montagu.	Britain, & U. States.	
25	<i>L. trochoides.</i>	Gray.	Ceylon.	
26	<i>L. zigzag.</i>	Chemnitz.	„	

GENUS.—LACUNA. *Turton, 1827.*

27	<i>L. crassior.</i>	Montagu.	Britain.
28	<i>L. vineta.</i>	„	„

GENUS.—CREMNOBATES. *W. T. Blanford, 1863.*

1	<i>C. carmatus.</i>	Layard.	Mahableshtar.	Mr. W. T. Blanford.
2	<i>C. conicus.</i>	W. T. Blanford.	Torna, Dukhun.	„
3	<i>C. Syhadrensis.</i>	„	Western Ghats.	„

FAMILY 35.—PLANAXIDÆ. *H. and A. Adams.*

GENUS —PLANAXIS. *Lamarck, 1822.*

1	<i>P. boricinoides.</i>	?	Tahiti.	M. Robillard.
2	<i>P. Judicularis.</i>	Lamarck.	West Indies.	
3	<i>P. lineolatus.</i>	Gould.	Tahiti.	Sir W. Denison.
4	<i>P. plumbea.</i>	Pease.	Sandwich Islands.	„





7	<i>P. loricatus.</i>	Reeve.	Ceylon.	
8	<i>P. phasianina.</i>	„	„	
9	<i>P. pictus.</i>	„	Rutnapoora, Ceylon.	
10	<i>P. Stephanus.</i>	Benson.	Bengal.	Mr. W. Theobald.
11	<i>P. sulcatus.</i>	Reeve.	Rutnapoora, Ceylon.	
12	<i>P. Tanjorica.</i>	Eydoux.	Courtalliar River.*	

GENUS.—BITHYNIA. *Gray*, 1821.

13	<i>B. cerameopoma.</i>	Benson.	Benares.	Mr. W. Theobald.
14	<i>B. impura.</i>	Lamarck.	Bordeaux.	
15	<i>B. marginata.</i>		<i>a</i> Ceylon.* <i>b</i> Thoosmamundoor, near Conjeveram.	
16	<i>B. minuta.</i>		Ceylon.*	
17	<i>B. pulchella.</i>	Hutton.	Madras. * * *	

FAMILY 39.—VALVATIDÆ. *Gray*.GENUS.—VALVATA. *Müller*, 1774.

1	<i>V. carinata.</i>	Say.	Hab. ?
2	<i>V. piscinalis.</i>	Ferrussac.	Bordeaux.

FAMILY 40.—AMPULLARIIDÆ. *D'Orbigny*, 1837.GENUS.—AMPULLARIA. *Lamarck*, 1799.

1	<i>A. adusta.</i>	Reeve.	Madagascar.	Sir W. Denison.
2	<i>A. amazonica.</i>	„	River Amazon.	
3	<i>A. carinata.</i>	Swainson.	Red Hill Lake.	
4	<i>A. glauca.</i>	Linnaeus.	„	
5	<i>A. globosa.</i>	Swainson.	„ * * *	
6	<i>A. Javanica.</i>	Reeve.	Bombay.	

FAMILY 41.—TURRITELLIDÆ. *Clarch*, 1851.GENUS.—TURRITELLA. *Lamarck*, 1799.

1	<i>T. attenuata.</i>	Reeve.	Coromandel.*
2	<i>T. bicingulata ?</i>	Lamarck.	Cape de Verd Islands.
3	<i>T. cornea.</i>	„	British Seas.
4	<i>T. duplicata.</i>	„	Eastern Seas.**
5	<i>T. terebra.</i>	„	Singapore.

FAMILY 42.—CÆCIDÆ. *Gray*.GENUS.—CÆCUM. *Fleming*, 1811.

1	<i>C. trachæa.</i>	Forbes.	Britain.
---	--------------------	---------	----------



FAMILY 43.—VERMETIDÆ. *D'Orbigny*, 1840.GENUS.—VERMETUS. *Adanson*, 1757.

- 1 *V. cereus*.                      Reeve ?                      Peru.

## FAMILY 44.—SILICUARIIDÆ.

GENUS.—SILICUARIA. *Bruguère*, 1789.

- 1 *S. trochlearis*.                      ?                      Philippines.

FAMILY 45.—ONUSTIDÆ. *H. and A. Adams*.GENUS.—PHORUS. *Montfort*, 1810.

- 1 *P. calculiferus*.                      Reeve.                      Ceylon.                      Sir W. Denison.  
2 *P. Indicus*.                      „                      Cochin China.

FAMILY 46.—CALYPTRÆIDÆ. *Broderip*, 1835.GENUS.—CALYPTRÆA. *Lamarck*, 1799.

- 1 *C. spinura*.                      California.

GENUS.—CRUCIBULUM. *Schumacher*, 1817.

- 1 *C. corrugatum*.                      Carpenter.                      California.  
2 *C. extensorum*.                      Lamarck.                      Malacca.\* \*  
3 *C. radiatum*.                      Broderip.                      California.

GENUS.—TROCHITA. *Schumacher*, 1817.

- 1 *T. Sinensis*.                      Linnæus.                      Britain.

GENUS.—CREPIDULA. *Lamarck*, 1799.

- 1 *C. fornicata*.                      Linnæus.                      United States,  
2 *C. Walshi*.                      Hermannson.                      Ceylon.

## FAMILY 47.—PILEOPSIDÆ.

GENUS.—PILEOPSIS. *Lamarck*, 1812.

- 1 *P. ungaricus*.                      Linnæus.                      Britain.

GENUS.—HIPPOONYX. *DeFrance*, 1819.

- 1 *H. barbata*.                      Sowerby.                      Society Islands.  
2 *H. incurvata*.                      ?                      Island of Reunion.                      M. Robillard.

## FAMILY 48.—NERITOPSIDÆ.

GENUS.—NARICA. *Récluz*, 1841.

- 1 *N. Deshayesiana*                      Récluz                      New Zealand.  
2 *N. peletrina*.                      Tahiti.                      Tahiti.                      M. Robillard.

GENUS.—NERITOPSIS. *Grateloup*, 1832.

- 1 *N. radula*.                      Linnæus.                      Philippines.

ORDER II.—SCUTIBRANCHIATA. *H. and A. Adams.*

## SUB-ORDER.—PODOPHTHALMA.

## FAMILY 1.—NERITIDÆ.

GENUS.—NERITA. *Linnaeus, 1758.*

1 <i>N. albicilla.</i>	Linnaeus.	<i>a</i> Philippines.* *	
		<i>b</i> Solomon Islds.	M. Robillard.
2 <i>N. annulata.</i>	Reeve.	Vizagapatam.	
3 <i>N. antiquata.</i>	Récluz.	Philippines.	
4 <i>N. atrata.</i>	Chemnitz.	Australia.	
5 <i>N. atro-purpurea.</i>	Récluz.	Philippines.	
6 <i>N. costata</i>	Chemnitz.	Nicobar Islands.*	
7 <i>N. exuvia.</i>	Linnaeus.	Philippines.	
8 <i>N. funiculata.</i>	Reeve.	Hab. ?	
9 <i>N. lineata.</i>	Chemnitz.	Port Essington, N. Australia.	
10 <i>N. maura ?</i>	Récluz.	Solomon Islands.	M. Robillard.
11 <i>N. ornata.</i>	Sowerby.	Panama.	
12 <i>N. peloronta.</i>	Linnaeus.	West Indies.	
13 <i>N. plexa.</i>	Chemnitz.	Philippines.	
14 <i>N. plicata.</i>	Linnaeus.	West Indies.	
15 <i>N. polita.</i>	„	Philippines.* * *	
16 <i>N. præcognita.</i>	Adams.	Hab. ?	
17 <i>N. Rumphii.</i>	Récluz.	Philippines.*	
18 <i>N. semirugosa.</i>	„	Vizagapatam.	
19 <i>N. signata.</i>	Macleay.	Kingsmill Island.	Sir W. Denison.
20 <i>N. tessellata.</i>	Linnaeus.	West Indies.*	
21 <i>N. versicolor.</i>	Lamarck.	„	

GENUS.—NERITINA. *Lamarck, 1809.*

1 <i>N. auriculata ?</i>	Lamarck.	Calcutta.	
2 <i>N. chlorostoma.</i>	Broderip.	Tahiti.	M. Robillard.
3 <i>N. cornucopia, var.</i>	Benson.	Hab. ?	Mr. W. T. Blanford.
4 <i>N. corona ?</i>	Linnaeus.	Palawan.	
5 <i>N. cryptosira.</i>	Benson.	Salween River.	Mr. W. Theobald.
6 <i>N. depressa.</i>	„	<i>a</i> Calcutta.	
		<i>b</i> Singapore.	
7 <i>N. dubia.</i>	Chemnitz.	Ceylon.	
8 <i>N. faba.</i>	Sowerby.	Hab. ?	
9 <i>N. fuliginosa.</i>	Theobald.	Ava.	Mr. W. Theobald.

10 <i>N. granosa</i> .	Sowerby.	Sandwich Islands.	M. Robillard.
11 <i>N. insculpta</i> .	Reeve.	Island of Diego.	"
12 <i>N. longispina</i> .	Récluz.	Mauritius.	Sir W. Denison.
13 <i>N. melanostoma</i>	Troschel.	Ceylon & Bengal.	
14 <i>N. meleagris</i> ?	Lamarck.	Dalmatia.	
15 <i>N. Mertonia</i> .	Récluz.	Pulicat Lake and Ceylon.*	
16 <i>N. obtusa</i> .	Benson.	River Ganges, Calcutta.	
17 <i>N. Perrotettiana</i> .	Récluz.	Madras and Neil- gherries.*	
18 <i>N. pisiformis</i> .	Récluz.	Sandwich Islands.	M. Robillard.
19 <i>N. ponderosa</i> .	?	Mauritius.	Sir W. Denison.
20 <i>N. Prevostiana</i> .	Sowerby.	Valencia.	
21 <i>N. pupa</i> .	Linnaeus.	Jamaica.	Dr. W. Traill.
22 <i>N. retifera</i> .	?	Calcutta.	*
23 <i>N. Sandwichensis</i> .	Deshayes.	Reunion & Mauri- tius.	M. Robillard.
24 <i>N. Smithii</i> .	Gray.	River Ganges, Calcutta.*	
25 <i>N. spinosa</i> .	Sowerby.	Maurice Island.	M. Robillard.
26 <i>N. Souleyetana</i> .	Récluz.	Marquesas Island.	"
27 <i>N. vespertina</i> .	Nuttall.	Tahiti.	"
28 <i>N. virginea</i> ?	Lamarck.	West Indies.	Dr. W. Traill.
29 <i>N. viridis</i> .	Linnaeus.	Martinique.	
30 <i>N. zebra</i> .	Lamarck.	Tahiti.	Sir W. Denison.
31 <i>N. zigzag</i> .	"	Labuan.	

GENUS.—*NAVICELLA*. Lamarck, 1809.

1 <i>N. tessellata</i> .	Lamarck.	Philippine Islds.*
--------------------------	----------	--------------------

FAMILY 2.—*TROCHIDÆ*.

TRIBE 1.—*PHASIANELLINÆ*.

GENUS.—*PHASIANELLA*. Lamarck, 1804.

1 <i>P. australis</i> .	Gmelin.	Kangaroo Island, Australia.
2 <i>P. nivosa</i> .	Reeve.	Ceylon.*
3 <i>P. pulla</i> .	Linnaeus.	Britain.
4 <i>P. variegata</i> .	Lamarck.	The Antilles.*

TRIBE 2.—*TURBININÆ*.

GENUS.—*TURBO*. Linnaeus, 1758.

1 <i>T. articulatus</i> .	Reeve.	Ceylon.*
2 <i>T. Chemnitzianus</i> ,	"	Red Sea.



3	<i>T. chrysostoma.</i>	Linnæus.	Santa Cruz.	
4	<i>T. marmoratus.</i>	„	Moulmein.*	
5	<i>T. petholatus.</i>	„	Port Blair, An-	Dr. Walters.
			damans. *	
6	<i>T. setosus.</i>	Gmelin.	Kingsmill Island.	M. Robillard.
7	<i>T. spinosus.</i>	Chemnitz.	Nicobar Islands.	
8	<i>T. Ticaonicus.</i>	Reeve.	Philippines.	
9	<i>T. versicolor.</i>	„	„	

TRIBE 5.—ROTELLINÆ.

GENUS.—ROTELLA. *Lamarck, 1822.*

1	<i>R. gigantea.</i>	Lesson.	Japan ?	
2	<i>R. suturalis ?</i>	Lamarck.	Indian Seas.**	
3	<i>R. vestiaria.</i>	Linnæus.	<i>a</i> Mediterranean	
			<i>b</i> Madras Coast.***	

TRIBE 6.—TROCHILINÆ.

GENUS.—DELPHINULA. *Lamarck, 1803.*

1	<i>D. distorta.</i>	Lamarck	Nicobar Islands ?	
2	<i>D. Tyria.</i>	Reeve.	Swan River.	

GENUS.—TROCHUS. *Linnæus, 1758.*

1	<i>T. acutangulus.</i>	Chemnitz.	Philippine Islands.	
2	<i>T. ater.</i>	Lesson.	Peru.	
3	<i>T. brunneus.</i>	Philippi.	California.	Sir W. Denison.
4	<i>T. cinereus.</i>	?	?	M. Robillard.
5	<i>T. cinerarius.</i>	Linnæus.	Britain.	
6	<i>T. confragosus.</i>	G. S. K.	Tahiti.	Sir W. Denison
7	<i>T. gallinus.</i>	?	California.	„
8	<i>T. maculatus ?</i>	Lamarck.	Philippine Islds.	
9	<i>T. magus.</i>	Linnæus.	Britain.	
10	<i>T. Montagui.</i>	Wood.	Ireland.	
11	<i>T. Niloticus.</i>	Linnæus.	Eastern Seas.*	
12	<i>T. noduliferus.</i>	Lamarck.	Red Sea, Philip-	
			pine Islands.	
13	<i>T. punctulatus.</i>	Martyn.	New Zealand.	
14	<i>T. pyramis.</i>	Born.	Philippine Islds.*	
15	<i>T. rhodostoma.</i>	Lamarck.	Island of Tortola,	
			West Indies.	
16	<i>T. stellatus.</i>	Gmelin.	Malacca.	
17	<i>T. striatus.</i>	Linnæus.	Cornwall & Devon.	
18	<i>T. tentorium.</i>	Chemnitz.	Philippines.	
19	<i>T. tumidus.</i>	Linnæus.	Devon & Dorset,	
			Britain.	



SUB-ORDER 2.—EDRIOPHTHALMA.

FAMILY 4.—FISSURELLIDÆ.

GENUS.—FISSURELLA. *Bruguère*, 1789.

- |   |                       |          |          |
|---|-----------------------|----------|----------|
| 1 | <i>F. reticulata.</i> | Donovan. | Britain. |
|---|-----------------------|----------|----------|

GENUS.—CEMORIA. *Leach, 1820.*

- 1 C. noachina. Linnæus. Britain.

GENUS.—EMARGINULA. *Lamarck*, 1801.

- 1 *E. rosea*.                      Lamarck.                      Devonshire, England.

GENUS.—*PARMOPHORUS*. *Blainville*, 1817.

- 1 P. Australis.      Blainville.      New Zealand.

FAMILY 5.—DENTALIIDÆ.

GENUS.—DENTALIUM. *Linnæus*, 1740.

- |   |                          |           |              |
|---|--------------------------|-----------|--------------|
| 1 | <i>D. Elephantinum.</i>  | Linnaeus. | Indian Seas. |
| 2 | <i>D. entalis.</i>       | „         | Britain.     |
| 3 | <i>D. novemcostatum.</i> | Deshayes. | France.      |
| 4 | <i>D. octogonum.</i>     | „         | China Seas.  |
| 5 | <i>D. tarentinum.</i>    | Sowerby.  | Britain.     |

FAMILY 6.—SCUTELLIDÆ.

GENUS.—TECTURA. *Audoin, 1830.*

- 1 *T. fluviatilis*. W.T.Blanford. Pegu. Mr.W.T.Blanford.

FAMILY 7.—GADINIIDÆ.

GENUS.—GADINIA. *Gray*, 1824.

- 1 *G. reticulata*.      Sowerby.      Chili.

FAMILY 8.—PATELLIDÆ.

GENUS.—PATELLA. *Linnæus*, 1752.

- |    |                          |           |                                    |
|----|--------------------------|-----------|------------------------------------|
| 1  | <i>P. lima.</i>          | Reeve.    | Japan.                             |
| 2  | <i>P. nigro-lineata.</i> | „         | Philippines.                       |
| 3  | <i>P. pellucida.</i>     | Linnaeus. | Britain.                           |
| 4  | <i>P. rota.</i>          | Chemnitz. | Island of Reunion. M. Robillard.   |
| 5  | <i>P. saccharina.</i>    | Linnaeus. | Philippine Islands.                |
| 6  | <i>P. sandwichensis.</i> |           | Sandwich Islands. M. Robillard.    |
| 7  | <i>P. sanguinans.</i>    | Reeve.    | South Africa.                      |
| 8  | <i>P. testudinalis.</i>  | Müller.   | Britain.                           |
| 9  | <i>P. testudinaria.</i>  | Linnaeus. | Port Blair, Andamans. Dr. Walters. |
| 10 | <i>P. vulgata.</i>       | „         | <i>a</i> Britain.*                 |
|    |                          |           | <i>b</i> France. M. Robillard.     |



## GENUS.—ACMÆ.

- 1 *A. persona*. Eschricht ? California. Sir W. Denison.

FAMILY 9.—CHITONIDÆ. *Guilding*.GENUS.—CHITON. *Linnaeus*, 1758.

- 1 *C. aculeatus*. Linnaeus. Chili. Bellary, Local Museum.  
 2 *C. cinereus*. „ Britain.  
 3 *C. incarnatus*. Reeve. Dalmatia.  
 4 *C. rusticus*. ? Island of Reunion. M. Robillard.  
 5 *C. sculus*. Gray. Dalmatia.

SUB-GENUS.—CHITONELLUS. *Lamarck*, 1819.

- 1 *C. Gunnii*. Reeve. New Zealand.

SUB-CLASS.—OPISTHOBRANCHIATA. *Milne Edwards*, 1848.

## ORDER 1.—TECTIBRANCHIATA.

## FAMILY 1.—TORNATELLIDÆ.

GENUS.—TORNATELLA. *Lamarck*, 1812.

- 1 *T. solidula*. Lamarck. Indian Ocean.

## FAMILY 2.—APLUSTRIDÆ.

GENUS.—APLUSTRUM. *Schumacher*, 1817.

- 1 *A. Thallassiarchi*. Martin. Hab ?

GENUS.—HYDATINA. *Schumacher*, 1817.

- 1 *H. physis*. Linnaeus. Island of Reunion. M. Robillard.

## FAMILY 4.—BULLIDÆ.

GENUS.—BULLA. *Klein*, 1753.

- 1 *B. ampulla*. Linnaeus. Indian Ocean.  
 2 *B. aplustre*. „ Island of Reunion. M. Robillard.  
 3 *B. australis*. Quoy. Tahiti. Sir W. Denison.  
 4 *B. fasciata*. Bruguière. Negapatam.  
 5 *B. hydatidis*. Linnaeus. Britain.  
 6 *B. naucum*. „ Indian Ocean.  
 7 *B. solida*. Bruguière. „  
 8 *B. viridis*. Rang. Seychelles. M. Robillard.

GENUS.—HAMINEA. *Leach*, 1847.

- 1 *H. curta*. Sandwich Islands. M. Robillard.  
 2 *H. nigro-cincta*. Tahiti. „

GENUS.—ATYS. *Montfort*, 1810.

- 1 *A. parallella*. Sandwich Islands. M. Robillard.

## FAMILY 5.—BULLÆIDÆ.

GENUS.—BULLÆA. *Lamarck*, 1801.

- |              |          |          |
|--------------|----------|----------|
| 1 B. aperta. | Lamarck. | Britain. |
|--------------|----------|----------|

## FAMILY 7.—APLYSIIDÆ.

GENUS.—DOLABELLA. *Lamarck*, 1801.

- |               |         |               |
|---------------|---------|---------------|
| 1 D. Rumphii. | Cuvier. | Indian Ocean. |
|---------------|---------|---------------|

GENUS.—APLYSIA. *Linnaeus*, 1767.

- |                |         |                     |
|----------------|---------|---------------------|
| 1 A. ocellata. | Reeve ? | Philippine Islands. |
|----------------|---------|---------------------|

## FAMILY 8.—PLEUROBRANCHIDÆ

## TRIBE 1.—PLEUROBRANCHINÆ.

GENUS.—PLEUROBRANCHUS. *Cuvier*, 1805.

- |                    |           |          |
|--------------------|-----------|----------|
| 1 P. membranaceus. | Montfort. | Britain. |
|--------------------|-----------|----------|

## TRIBE 2.—UMBRELLINÆ.

GENUS.—UMBRELLA. *Lamarck*, 1812.

- |                |          |                               |
|----------------|----------|-------------------------------|
| 1 U. Cumingii. | Reeve.   | Sandwich Islands.             |
| 2 U. Indica.   | Lamarck. | Eastern Seas. Sir W. Denison. |

3RD SUB-CLASS.—PULMONATA. *Cuvier*, 1817.ORDER 1.—INOPERCULATA. *Gray*, 1850.

## SUB-ORDER 1.—GEOPHILA.

## FAMILY 1.—HELICIDÆ.

GENUS.—HELIX. *Linnaeus*, 1758.

- |                  |                   |                |                      |
|------------------|-------------------|----------------|----------------------|
| 1 H. acetabulum. | ?                 | Tahiti.        | M. Robillard.        |
| 2 H. achatina.   | Gray.             | Moulmein.      | Mr. W. Theobald.     |
| 3 H. acuta.      | Lamarck.          | Jamaica.       | Sir W. Denison.      |
| 4 H. Adansonii.  | Webb & Bertholet. | Teneriffe.     | M. Robillard.        |
| 5 H. albolabris. | Say.              | North America. |                      |
| 6 H. Alonensis.  | Ferussac.         | Spain.         |                      |
| 7 H. alternata.  | Say.              | North America. |                      |
| 8 H. ampulla.    | Benson.           | a Manantoddy.  |                      |
|                  |                   | b Anamallays.  | Mr. H. R. P. Carter. |
|                  |                   | c „            | Sir W. Denison.      |
| 9 H. angigyra.   | Ziegler.          | North Italy.   |                      |
| 10 H. annulata.  | Sowerby.          | Philippines.   |                      |

11 <i>H. anomala</i> .	Adams.	Jamaica.	Sir W. Denison.
12 <i>H. aperta</i> .	Born.	Dalmatia.	
13 <i>H. apex</i> .	Adams.	Jamaica.	"
14 <i>H. arborea</i> .	Say.	North America.	
15 <i>H. arbustorum</i> .	Linnæus.	Britain.	
16 <i>H. artificiosa</i> .	Benson.	Tenasserim Valley.	Mr. W. Theobald.
17 <i>H. aspera</i> .	Ferussac.	Jamaica.	
18 <i>H. aspersa</i> .	Müller.	Britain.*	
19 <i>H. Bainbridgei</i> .	Pfeiffer.	Jamaica.	
20 <i>H. Bajadera</i> .	"	Bengal.	
21 <i>H. Barrakporensis</i> .	"	Barrakpore.	Mr. H. Blanford.
22 <i>H. Basileus</i> .	Benson.	<i>a</i> Anamallays.	Captain R. H. Beddome.
		<i>b</i> "	Mr. H. R. P. Carter.
23 <i>H. bidens</i> .	Chemnitz.	Germany, &c.	Sir W. Denison.
24 <i>H. bistrialis</i> .	Beck.	Madras.* * *	
25 <i>H. bolus</i> .	Benson.	Thayet Myo.	Mr. W. Theobald.
26 <i>H. Bombayana</i> .	Grateloup.	Poona.	
27 <i>H. Boothiana</i> .	Pfeiffer.	Cuba.	Sir W. Denison.
28 <i>H. cacuminifera</i> .	Benson.	Neilgherries.	
29 <i>H. cælatura</i> .	Ferussac.	Island of Reunion.	M. Robillard.
30 <i>H. Caldwelli</i> .	?	" Maurice.	"
31 <i>H. Campbelli</i> .	Gray.	Norfolk Island.	Sir W. Denison*
32 <i>H. caperata</i> .	Montagu.	Dalmatia.	M. J. L. Laporte
33 <i>H. capitium</i> .	Benson.	Ava.	Mr. W. T. Blanford.
34 <i>H. Cara</i> .	Adams.	Jamaica.	
35 <i>H. cariosula</i> .	Michaud.	Algeria.	
36 <i>H. Carmelita</i> .	Ferussac.	Jamaica.	
37 <i>H. Carocolla</i> .	Linnæus.	Mauritius ?	
38 <i>H. Carthusiana</i> .	Müller.	British Isles.	M. J. L. Laporte
39 <i>H. Cecillei</i> .	Philippi.	China.	
40 <i>H. cellaria</i> .	Müller.	Central Europe.	
41 <i>H. ceraria</i> ?	Benson.	Ceylon.	
42 <i>H. cespitum</i> (young.)	Drapernaud.	Bordeaux.	
43 <i>H. Chamissoi</i> .	Pfeiffer.	Sandwich Islands.	M. Robillard.
44 <i>H. cicatricosa</i> .	Müller.	China.	
45 <i>H. ciliata</i> .	Venez.	Switzerland.	Sir W. Denison.



46	<i>H. cinctella.</i>	Drapernaud.	Lombardy.	Sir W. Denison.
47	<i>H. cingulata.</i>	Studer.	„	„
48	<i>H. citrina.</i>	Linnæus.	Moluccas.	
49	<i>H. climacterica.</i>	Benson.	East Frontier of Bengal.	Mr. W. Theobald.
50	<i>H. conspurcata.</i>	Drapernaud.	<i>a</i> Montpelier. <i>b</i> France & Spain.	Sir W. Denison.
51	<i>H. conula.</i>	?	Tahiti.	M. Robillard.
52	<i>H. convexa.</i>	Rafinesque.	<i>a</i> Ohio, N. America.	
	„ var. <i>fraterna.</i>	Say.	<i>b</i> „	
53	<i>H. Cookiana.</i>	Gmelin.	Jamaica.	
54	<i>H. Corcyrensis.</i>	Partsch.	Schumla.	Sir W. Denison.
55	<i>H. cornea.</i>	Drapernaud.	France.	
56	<i>H. cornu-militaire.</i>	Linnæus.	Hab. ?	
57	<i>H. costulata.</i>	Ziegler.	Germany.	Sir W. Denison.
58	<i>H. crassicostata.</i>	Benson.	South India.	
59	<i>H. Cunninghami.</i>	Gray.	Darling Downs, Australia.	
60	<i>H. Cyclopax.</i>	Benson.	Darjeeling.	
61	<i>H. cysis.</i>	„	Neilgherries.	
62	<i>H. densa.</i>	Adams & Reeve.	Isl. of Daat, Borneo.	
63	<i>H. desertorum.</i>	Forskæel.	Deserts of Egypt, &c.	
64	<i>H. detecta.</i>	Ferussac.	Bourbon.	
65	<i>H. diminuta.</i>	Adams.	Jamaica.	
66	<i>H. epistyliolum.</i>	„	„	
67	<i>H. epistylroides.</i>	Ferussac.	„	
68	<i>H. ericetorum.</i>	Müller.	Europe.	Sir W. Denison.
69	<i>H. erronea.</i>	Albers.	Ceylon.	„
70	<i>H. excellens.</i>	Pfeiffer.	St. Domingo.	
71	<i>H. explanata.</i>	Müller.	Algeria and South of France.	Sir W. Denison.
72	<i>H. fabrefacta.</i>	?	Tahiti.	M. Robillard.
73	<i>H. fallaciosa.</i>	Ferussac.	<i>a</i> South India.* <i>b</i> Naggerly Hills.***	
74	<i>H. fibula.</i>	Pfeiffer.	Philippines.	
75	<i>H. ficta.</i>	?	Tahiti.	M. Robillard.
76	<i>H. fidelis.</i>	Gray.	North America.	
77	<i>H. Fraseri.</i>	„	Clarence River, Australia.	Sir W. Denison.
78	<i>H. fruticum.</i>	Müller.	Germany, &c.	„
79	<i>H. fulva.</i>	„	Europe.	
80	<i>H. fusco-cincta.</i>	Adams.	Jamaica.	Sir W. Denison.

81	<i>H. fusco-labris.</i>	Adams.	Jamaica.	
82	<i>H. graminicola.</i>	"	"	Sir W. Denison.
83	<i>H. Guerini.</i>	Pfeiffer.	Neilgherries.	
84	<i>H. Gualteriana.</i>	Linnæus.	Spain.	
85	<i>H. hæmastoma.</i>	"	Ceylon.*	
86	<i>H. hieroglyphicula.</i>	Michaud.	North Africa.	
87	<i>H. hispana.</i>	Linnæus.	" Italy.	
88	<i>H. hispida.</i>	"	Germany, &c.	Sir W. Denison.
89	<i>H. holoserica.</i>	Studer.	Central & S. Eur.	"
90	<i>H. honesta.</i>	Gould.	Moulmein.	Mr. W. Theobald.
91	<i>H. Huaheinensis.</i>	Pfeiffer.	Tahiti.	M. Robillard.
92	<i>H. humilis.</i>	Hutton.	Himalayas.	
93	<i>H. Huttoni.</i>	Pfeiffer.	Darjeeling.	
94	<i>H. Iloconensis.</i>	Sowerby.	Philippines.	
95	<i>H. immaculata.</i>	Adams & Reeve.	"	
96	<i>H. interrupta.</i>	Benson.	Calcutta.	Mr. W. Theobald.
97	<i>H. intorta.</i>	Sowerby.	Philippines.	
98	<i>H. intumescens.</i>	W. T. Blanford.	Mahabuleshwar.	Mr. W. T. Blanford.
99	<i>H. inversicolor.</i>	Ferussac.	Mauritius.	
100	<i>H. Jamaicensis.</i>	Chemnitz.	Jamaica.	Sir W. Denison.
101	<i>H. Jugosa.</i>	Mighels.	Sandwich Islands.	M. Robillard.
102	<i>H. Juliana.</i>	Gray.	Ceylon.	
103	<i>H. lactea.</i>	Müller.	Algiers.*	
104	<i>H. lævipēs.</i>	"	Elephanta, Bombay.	
105	<i>H. lapicida.</i>	Linnæus.	Britain, &c.	
106	<i>H. lauta.</i>	Lowe.	Toulon.	
107	<i>H. laxata.</i>	Ferussac.	Chili.	
108	<i>H. Layardi.</i>	Pfeiffer.	<i>a</i> South India.*	Sir W. Denison.
			<i>b</i> Anamallays.* *	Captain R. H. Beddome.
109	<i>H. Leprieurii.</i>	Petit.	Amazon.	
110	<i>H. leucostyla.</i>	Pfeiffer.	Maurice Island.	M. Robillard.
111	<i>H. ligulata.</i>	Ferussac.	<i>a</i> Bengal.*	
			<i>b</i> Trivelloor, Madras.* * *	
112	<i>H. limbata.</i>	Draparnaud.	Britain.	
113	<i>H. lineata.</i>	Say.	North America.	
114	<i>H. Luzonica.</i>	Sowerby.	Island of Luzon, Philippines.	

115	H. MacMurrayi.	Adams.	Jamaica.	
116	H. Maderaspata.	Gray.	South India.* *	
117	H. magnifica.	Ferussac.	Madagascar.	Sir. H. Barkly.
118	H. Mauritiana.	Pfeiffer.	Maurice Island.	M. Robillard.
119	H. Mauritius.	?	?	"
120	H. melanostoma.	Drapernaud.	Africa.	
121	H. melanotragus.	Born.	Ceylon.*	
122	H. Merguensis ?	Philippi.	Moulmein.	Mr. W. Theobald.
123	H. metaformis.	Ferussac.	Philippines.	
124	H. mirabilis.	"	"	Sir W. Denison.
125	H. Moricaudi.	Sowerby.	"	
126	H. munda.	Adams.	Jamaica.	
127	H. muralis.	Müller.	Italy and Sicily.	Sir W. Denison.
128	H. Naninoides.	Benson.	Singapore.	
129	H. nemoralis.	Linnaeus.	a France.* b Britain.*	M. J. L. Laporte
130	H. Niciensis.	Ferussac.	Nice.	Sir W. Denison.
131	H. Nicobarica.	Chemnitz.	Nullamallays.	Captain R. H. Beddome*
132	H. Nilagirica.	Pfeiffer.	Neilgherries.	
133	H. nitens.	Michaud.	Austria, France, &c.	
134	H. nobilis.	Pfeiffer.	Singapore.	
135	H. nummus.	Ehrenberg.	Aden.	
136	H. obvoluta.	Müller.	N. & Central Europe.	Sir W. Denison.
137	H. Orobia.	Benson.	Darjeeling.	
138	H. Oxytes.	"	E. frontier of Bengal.	Mr. W. Theobald.
139	H. patina.	Adams.	Jamaica.	
140	H. paupercula.	Lowe.	Madeira, &c.	Sir W. Denison.
141	H. pedina.	Benson.	Bombay.	
142	H. peliomphala.	Pfeiffer.	Japan.*	
143	H. peraffinis.	Adams.	Jamaica.	Sir W. Denison.
144	H. personata.	Lamarek.	Germany.	"
145	H. perspectiva.	Say.	N. America.	Dr. Traill.
146	H. philyrina.	Mortillet.	Maurice Island.	M. Robillard.
147	H. picturata.	Adams.	Jamaica.	
148	H. pila.	"	"	
149	H. Pisana.	Müller.	Britain, &c.	
150	H. planulata	Lamarek.	Philippines.	
151	H. plectostoma.	Benson.	N. Bengal.	Mr. W. Theobald.
152	H. polychroa.	Sowerby.	Philippines.	Sir W. Denison.



153 H. pomatia.	Linnaeus.	England.	M.J.L.Laporte
154 H. propinqua.	Pfeiffer.	Bombay.	
155 H. pulchella	Müller.	Europe.	
156 H. pulcherrima	Sowerby.	Philippines.	Sir W. Denison.
157 H. pura.	Alder.	Europe & America.*	
158 H. quæsitæ.	Deshayes.	Moluccas.	
159 H. radiella.	Pfeiffer.	Tahiti.	M. Robillard.
160 H. Rawsonis.	Barclay.	Maurice Island.	
161 H. regalis.	Benson.	Borneo.	
162 H. resplendens.	Philippi.	Isld. of Daat, Borneo.*	
163 H. Richmondiana.	Pfeiffer.	Australia.	
164 H. Rivolii.	„	Ceylon.	
165 H. Roissiana.	Ferussac.	Philippines.	
166 H. rotabilis.	Reeve.	Australia.	
167 H. rotatoria.	Von dem Busch.	Irrawaddi.	Mr. W. Theobald.
168 H. rotundata.	Müller.	Britain, &c.	Sir W. Denison.
169 H. rufescens.	Pennant.	„	
170 H. rugosiuscula.	Michaud.	Pyrenees.	
171 H. sagemon.	Beck.	Cuba.	
172 H. Schumacheriana.	Pfeiffer.	Borneo.	
173 H. scuta.	?	Tahiti.	M. Robillard.
174 H. semidecussata.	Pfeiffer.	Mauritius.	
175 H. semirugata.	Beck.	a Carnatic.	
		b Nullahmalays.	Captain R. H. Beddome.
176 H. sepulchralis.	Ferussac.	Madagascar.	
177 H. sericea.	Draparnaud.	Britain, &c.	
178 H. serpentina.	Ferussac.	Toulon.	
179 H. serrula.	Benson.	Teria Ghaut.	Mr. W. Theobald
180 H. similis. Var.	Ferussac.	a Ava.	Mr. W. T. Blanford.
		b Maurice Island.	M. Robillard.
		c „ „	„
		d Reunion „	„
181 H. sincera.	Adams.	Jamaica.	
182 H. sinuata.	Müller.	„	Sir W. Denison.
183 H. Siquijorensis.	Broderip.	Philippines.	
184 H. Sirena.	Beck.	„	
185 H. solata.	Benson.	Neilgherries.	
186 H. soror.	Ferussac.	Jamaica.	

187	<i>H. sphaerica.</i>	Sowerby.	Philippines.	
188	<i>H. striatella.</i>	Anthony.	North America.	
189	<i>H. Studeriana.</i>	Ferussac.	Seychelle Islands.	
190	<i>H. subconica.</i>	Adams.	Jamaica.	
191	<i>H. tapeina.</i>	Benson.	E. frontier of Bengal.	Mr. W. Theobald.
192	<i>H. terrestris.</i>	Chemnitz.	S. of France, &c.	
193	<i>H. thyreus.</i>	Benson.	Neilgherries.	Sir W. Denison.
194	<i>H. thyroides.</i>	Say.	North America.	
195	<i>H. tiara.</i>	Mighels.	Sandwich Islands.	„
196	<i>H. tigrina.</i>	Christofori & Jan.	Lombardy.	
197	<i>H. Tranquebarica.</i>	Fabricius.	<i>a</i> Tranquebar. <i>b</i> Trivelloor, Madras.***	
198	<i>H. trochoides.</i>	Poiret.	Dalmatia.	
199	<i>H. tumida.</i>	Pfeiffer.	West Indies.	Sir W. Denison.
200	<i>H. umbilicata.</i>	Montagu.	Central & S. Europe.	„
201	<i>H. unidentata.</i>	Chemnitz.	Mauritius.	
202	<i>H. vermiculata.</i>	Müller.	South Europe.	
203	<i>H. vindobonensis.</i>	Ferussac.	Austria.	
204	<i>H. virgata.</i>	Montagu.	Bordeaux.	
205	<i>H. viridis.</i>	Deshayes.	<i>a</i> Madagascar.	
	„ var.	„	<i>b</i> St. Mary's Isld. Madras.***	M. Robillard.
206	<i>H. vitellina.</i>	Pfeiffer.		
207	<i>H. vittata.</i>	Müller.	Ceylon.	
208	<i>H. Waltoni.</i>	Reeve.	„	
209	<i>H. Woodiana.</i>	Pfeiffer.	„	
210	<i>H. Zebuensis.</i>	Broderip.	Philippines.	
211	<i>H. zonata.</i>	Studer.	Piedmontese Alps.	Sir W. Denison.

GENUS.—BOYSIA. *Pfeiffer*, 1850.

1	<i>B. Bensoni.</i>	Pfeiffer.	Katiawar.
---	--------------------	-----------	-----------

GENUS.—ANOSTOMA. *Fischer*, 1807.

1	<i>A. Globulosum.</i>	Lamarck.	Brazil.
---	-----------------------	----------	---------

GENUS.—STREPTAXIS. *Gray*, 1837.

1	<i>S. Perrotteti.</i>	Petit.	Neilgherries.*	
2	<i>S. Petiti.</i>	Gould.	Burmah.	Mr. W. Theobald

GENUS.—ENNEA. *H. and A. Adams*, 1855.

1	<i>E. bicolor.</i>	Gould.	Foot of the Himalayas.	Mr. W. Theobald.
---	--------------------	--------	------------------------	------------------



2 E. Dunkeri.	Pfeiffer.	Port Natal.
3 E. Planti.	"	"

GENUS.—BULIMUS. *Scopoli*, 1786.

1 B. Abyssinicus.	Rüppell.	Abyssinia.	Sir W. Denison.
2 B. acutus.	Müller.	Bordeaux.	"
3 B. Adamsii.	Reeve.	E. coast of Borneo.	"
4 B. albizonatus.	"	Ceylon.	
5 B. atomatus.	Gray.	Ash Islds., Australia.	
6 B. atricallosus.	Gould.	Tavoy, Burmah.	Mr. W. Theobald.
7 B. auris-bovinæ.	Bruguière.	Feejee Islands.	Sir W. Denison.
8 B. auris-leporis.	"	Brazil.	
9 B. Bairdii.	Reeve.	New Caledonia.	
10 B. Bengalensis.	Lamarck.	Bengal.	
11 B. Bontia.	Chemnitz.	South India.	
12 B. calcareus.	Wagner.	Brazil.	
13 B. Calista.	Broderip.	Philippines.	
14 B. candelaris.	Pfeiffer.	Cashmere.	Mr. W. T. Blanford.
15 B. Ceylanicus.	"	Ceylon.	
16 B. Chloris.	Reeve.	Singapore.	
17 B. chrysalidiformis.	Sowerby.	Philippines.	
18 B. citrinus. var.	Bruguière.	Moluccas.	
<i>a and b.</i>			
19 B. cœlebs.	Benson.	Landour, &c.	
20 B. cœnopictus.	Hutton.	Bombay.	Mr. W. Theobald
21 B. Coquimbensis.	Sowerby.	Mountains of Coquimbo.	
22 B. Cuyoënsis.	Pfeiffer.	Philippines.	
23 B. dactylus.	Broderip.	"	
24 B. Daphnis.	"	"	
25 B. decollatus.	Bruguière.	Dalmatia.	
26 B. Dufresnii.	Leach.	Vau Dieman's Land.	
27 B. eous.	Reeve.	Hindoostan.	
28 B. Fairbanki.	Pfeiffer.	Ahmednuggur.	
29 B. Faunus.	Broderip.	Philippines.	
30 B. fulguratus.	Jay.	Feejee Islands.	
31 B. Funkii.	Nyst.	Venezuela.	
32 B. gallina-sultana.	Lamarck.	Brazil.	
33 B. goniosoma.	Ferussac.	"	
34 B. Gossei.	Pfeiffer.	Jamaica.	



35 <i>B. gracilis</i> .	Hutton.	<i>a</i> Bundleeund, &c.	Sir W. Denison.
		<i>b</i> Island of Bombay,	
36 <i>B. Guadaloupensis</i> .	Bruguière.	West Indies.	
37 <i>B. Jayanus</i> .	Reeve.	Eastern Islands.	
38 <i>B. Jerdoni</i> .	Benson.	<i>a</i> The Dukhun.	Mr. W. T. Blanford.
		<i>b</i> Bombay, Dukhun,	Sir W. Denison.
		&c.	
39 <i>B. latebricola</i> .	Benson.	Darjeeling.	Mr. H. Blanford.
40 <i>B. lignarius</i> .	Pfeiffer.	Philippines.	
41 <i>B. lubricus</i> .	Bruguière.	Britain.	Sir W. Denison.
42 <i>B. Lyonnetianus</i> .	Pallas.	Mauritius.	
43 <i>B. Malabaricus</i> .	Pfeiffer.	The Dukhun.	Mr. W. T. Blanford.
44 <i>B. miltocheilus</i> .	Reeve.	San Christoval.	
45 <i>B. mus</i> .	,	Philippines.	
46 <i>B. oblongus</i> .	Müller.	East coast of S.	
		America.	
47 <i>B. obscurus</i> .	Drapernaud.	Britain.	
48 <i>B. octonoides</i> .	Adams.	Jamaica.	Sir W. Denison.
49 <i>B. ovoideus</i> .	Bruguière.	Philippines.	
50 <i>B. Peruvianus</i> .	„	Peru.	
51 <i>B. Pfeifferianus</i> .	Reeve.	Philippines.	
52 <i>B. phasianellus</i> .	Valenciennes.	Chili and Peru.	
53 <i>B. pictor</i> .	Broderip.	Penang.	
54 <i>B. planidens</i> .	Michelin.	Brazil.	
55 <i>B. pudicus</i> .	Deshayes.	„	
56 <i>B. pullus</i> .	Gray.	India.	Mr. W. Theobald.*
57 <i>B. punctatus</i> .	Anton.	<i>a</i> Bombay and	
		Madras.***	
		<i>b</i> Nullahmallays.	Capt. R. H. Beddome.
58 <i>B. pythogaster</i> .	Ferussac.	Philippines.	
59 <i>B. Reevii</i> .	Cuming.	„	
60 <i>B. Regina</i> .	D'Orbigny.	Peru, &c.	
61 <i>B. rosaceus</i> .	King.	Brazil.	
62 <i>B. segregatus</i> .	Benson.	Simla.	Sir W. Denison.
63 <i>B. signatus</i> .	Wagner.	Brazil.	
64 <i>B. Sindicus</i> .	Benson.	Punjab.	Mr. W. Theobald
65 <i>B. suffusus</i> .	Reeve.	Hab ?	

66 B. sylvanus.	Broderip.	Philippines.
67 B. Taunaysii.	D'Orbigny.	Brazil.
68 B. tenebricus.	Reeve.	Sierra Leone. M. Robillard.
69 B. Ticaonicus.	Broderip.	Island of Ticao.
70 B. tri-fasciatus.	Chemnitz.	Ceylon.
71 B. tri-lineatus.	Quoy and Gaimard.	New Holland.
72 B. Tupacii.	D'Orbigny.	Bolivia.
73 B. Zebra.	Müller.	South America.*
74 B. zonulatus.	Pfeiffer.	Philippines.

GENUS.—PARTULA. *Ferussac*, 1819.

1 P. abbreviata.	Pease.	Sandwich Islands.	Sir W. Denison
2 P. affinis.	"	"	"
3 P. alternata.	"	"	"
4 P. bilineata.	"	"	"
5 P. clara.	"	"	"
6 P. compacta.	"	"	"
7 P. crassa.	"	"	"
8 P. crassilabrum.	"	"	"
9 P. elongata.	"	"	"
10 P. faba.	Martyn.	"	"
11 P. Garretti.	Pease.	"	"
12 P. gibba.	Ferussac.	"	"
13 P. globosa.	Pease.	"	"
14 P. gracilior.	"	"	"
15 P. Hebe.	Pfeiffer.	"	"
16 P. hyalina.	Broderip.	"	"
17 P. labiata.	Pease.	"	"
18 P. lignaria.	"	"	"
19 P. lineolata.	"	"	"
20 P. lugubris.	"	"	"
21 P. nucleola.	"	"	"
22 P. Otaheitana.	Bruguère.	"	"
23 P. producta.	Pease.	"	"
24 P. pulchra.	"	"	"
25 P. radiata.	Gould.	"	"
26 P. radiolata.	Pfeiffer.	"	"
27 P. recta.	Pease.	"	"
28 P. rosea.	Broderip.	"	"
29 P. rustica.	Pease.	"	"
30 P. simulans.	"	"	"
31 P. sinistrorsa.	"	"	"



32	<i>P. solidula.</i>	Reeve.	Sandwich Islands.	Sir W. Denison.
33	<i>P. striolata.</i>	Pease.	"	"
34	<i>P. trilineata.</i>	"	"	"
35	<i>P. turricula.</i>	"	"	"
36	<i>P. umbilicata.</i>	"	"	"
37	<i>P. varia.</i>	Broderip.	"	"
38	<i>P. variabilis.</i>	Pease.	"	"
39	<i>P. virginia.</i>	"	"	"

GENUS.—ACHATINELLA. *Swainson*, 1828.

1	<i>A. abbreviata.</i>	Reeve.	Sandwich Islands.	Sir W. Denison.
2	<i>A. affinis.</i>	Newcomb.	"	"
3	<i>A. albolabris.</i>	"	"	"
4	<i>A. bacca.</i>	Reeve.	"	"
5	<i>A. Bulimoides.</i>	Swainson.	"	"
6	<i>A. castanea.</i>	Reeve.	"	"
7	<i>A. colorata.</i>	"	"	"
8	<i>A. cornea.</i>	Newcomb.	"	"
9	<i>A. crassa.</i>	"	"	"
10	<i>A. cylindrica</i> var B.	"	"	"
11	<i>A. decora</i> ?	Ferussac.	"	"
12	<i>A. fulgens.</i>	Newcomb.	"	"
13	<i>A. fumosa.</i>	"	"	"
14	<i>A. fusca.</i>	"	"	"
15	<i>A. gigantea.</i>	"	"	"
16	<i>A. glabra.</i>	"	"	"
	" var B. <i>elegans.</i>	"	"	"
17	<i>A. grana.</i>	"	"	"
18	<i>A. grvida.</i>	Ferussac.	"	"
19	<i>A. lugubris.</i>	Chemnitz.	"	"
	var B.	"	"	"
20	<i>A. marmorata.</i>	Gould.	"	"
21	<i>A. melanostoma.</i>	Newcomb.	"	"
22	<i>A. mighelsiana.</i>	Pfeiffer.	"	"
23	<i>A. nitida.</i>	Newcomb.	"	"
24	<i>A. nubilosa.</i>	Mighels.	"	"
25	<i>A. nucleola.</i>	Gould.	"	"
26	<i>A. plicata.</i>	Mighels.	"	"
27	<i>A. prasina.</i>	Reeve.	"	"
28	<i>A. radiata.</i>	Gould.	"	"
29	<i>A. recta.</i>	Newcomb.	"	"
30	<i>A. Redfieldi.</i>	"	"	"
31	<i>A. rosea.</i>	Swainson.	"	"



32	<i>A. rugosa.</i>	Newcomb.	Sandwich Islands.	Sir W. Denison.
33	<i>A. sanguinea.</i>	"	"	"
34	<i>A. simulans.</i>	Reeve.	"	"
35	<i>A. spirizona.</i>	Ferussac.	"	"
36	<i>A. splendida.</i>	Newcomb.	"	"
37	<i>A. straminea.</i>	Reeve.	"	"
38	<i>A. Swifti.</i>	Newcomb.	"	"
39	<i>A. taeniolata.</i>	Pfeiffer.	"	"
40	<i>A. tessellata.</i>	Newcomb.	"	"
41	<i>A. turgida.</i>	"	"	"
42	<i>A. turritella.</i>	Ferussac.	"	"
43	<i>A. variabilis.</i>	Newcomb.	"	"
44	<i>A. venusta.</i>	Mighels.	"	"
45	<i>A. virgulata.</i>	"	"	"
46	<i>A. vitrea.</i>	Newcomb.	"	"
47	<i>A. vulpina.</i>	Ferussac.	"	" *

GENUS.—SPIRAXIS. *C. B. Adams*, 1850.

1	<i>S. bicolor.</i>	Jay.	Sandwich Islands.	M. Robillard.
2	<i>S. Haughtoni.</i>	?	Andamans.	

GENUS.—ACHATINA. *Lamarck*, 1799.

1	<i>A. conifera.</i>	Reeve.	Island of Reunion.	
2	<i>A. crassilabris.</i>	Benson.	N.E. frontiers, Bengal	
3	<i>A. crassula.</i>	"	Darjeeling.	
4	<i>A. fulica.</i>	Ferussac.	Mauritius.	Mr. E. Blyth.*
5	<i>A. gemma.</i>	Benson.	Ceylon.	Dr. Traill.
6	<i>A. nitens.</i>	Gray.	"	
7	<i>A. octona.</i>	"	West Indies.	Sir W. Denison.
8	<i>A. orobia.</i>	?	Darjeeling.	
9	<i>A. panthera.</i>	Ferussac.	Madagascar.	M. Robillard.
10	<i>A. purpurea.</i>	Lamarck.	Cape Palmas, W. Africa.	
11	<i>A. tenuispira.</i>	Benson.	Darjeeling.	
12	<i>A. tornensis.</i>	W.T. Blanford.	W. Ghauts, India.	Mr. W. T. Blanford.
13	<i>A. variegata.</i>	Roissy.	Sierra Leone.	
14	<i>A. virginea.</i>	Lamarck.	Cuba, &c.	
15	<i>A. zebra.</i>	Lamarck.	Cape of Good Hope.	

GENUS.—OLEACINA. *Bolton*, 1798.

1	<i>O. leucozonias.</i>	Sowerby.	Jamaica.	
2	<i>O. nemorensis.</i>	Adams.	"	Sir W. Denison.
3	<i>O. Philippiana.</i>	Pfeiffer.	<i>a</i> "	"
	" <i>var. elegans.</i>	"	<i>b</i> "	"

4	<i>O. Philipsii.</i>	Adams.	Jamaica.	Sir W. Denison.
5	<i>O. procera.</i>	"	"	"
6	<i>O. propinqua.</i>	"	"	"
7	<i>O. similis.</i>	"	"	"
8	<i>O. venusta.</i>	Pfeiffer.	"	

GENUS.—PUPA. *Draparnaud*, 1805.

1	<i>P. avenacea.</i>	Bruguière.	Switzerland.	Sir W. Denison.
2	<i>P. contracta.</i>	Say.	Virginia, &c.	
3	<i>P. dolium.</i>	Draparnaud.	Switzerland.	"
4	<i>P. edentula.</i>	"	Britain.	"
5	<i>P. frumentum.</i>	"	Como.	"
6	<i>P. Marmorata.</i>	Pfeiffer.	Guadaloupe.	M. J. L. Laporte
7	<i>P. Mauritiana.</i>	?	Maurice Island.	M. Robillard.
8	<i>P. megacheilos.</i>	Jan.	Como.	Sir W. Denison.
9	<i>P. Mumia.</i>	Bruguière.	West Indies.	
10	<i>P. muscorum.</i>	Linnaeus.	Britain.	"
11	<i>P. obesa.</i>	?	Island of Maurice.	M. Robillard.
12	<i>P. ovata.</i>	Say.	North America.	
13	<i>P. quinquedentata.</i>	Born.	France, Spain, &c.	Sir W. Denison.
14	<i>P. secale.</i>	Draparnaud.	Britain.	"
15	<i>P. Sempronii.</i>	Charpentier.	Pays de Vaud.	"
16	<i>P. sulcata.</i>	Müller.	Maurice Island.	M. Robillard.
17	<i>P. umbilicata.</i>	Draparnaud.	Britain.	
18	<i>P. variabilis.</i>	"	Switzerland.	Sir W. Denison.

GENUS.—CYLINDRELLA. *Pfeiffer*, 1840.

1	<i>C. Agnesiana.</i>	Adams.	Jamaica.	
2	<i>C. alba.</i>	"	"	Sir W. Denison.
3	<i>C. Baquieana.</i>	Chitty.	"	
4	<i>C. brevis.</i>	Pfeiffer.	Ceylon.	Dr. Traill.
5	<i>C. cylindrus.</i>	Chemnitz.	Jamaica.	
6	<i>C. elongata.</i>	"	"	"
7	<i>C. gracilis.</i>	Wood.	"	Sir W. Denison.
8	<i>C. intermedia.</i>	?	"	"
9	<i>C. lata.</i>	Adams.	"	
10	<i>C. Maugeri.</i>	Wood.	"	"
11	<i>C. nobilior.</i>	Adams.	"	
12	<i>C. rosea.</i>	Pfeiffer.	a "	"
	" var. major.		b "	
13	<i>C. sanguinea.</i>	"	"	Dr. Traill.
14	<i>C. seminuda.</i>	Adams.	"	
15	<i>C. subula.</i>	Ferussac.	"	Sir W. Denison.



16	<i>C. tenella.</i>	Adams.	Jamaica.	Sir W. Denison.
17	<i>C. tricolor.</i>	Pfeiffer.	"	
18	<i>C. zonata.</i>	Adams.	"	
GENUS.—MEGASPIRA. <i>Lea</i> , 1834.				
1	<i>M. elatior.</i>	Spix.	Brazil.	
GENUS.—BALEA. <i>Prideaux</i> , 1824.				
1	<i>B. perversa.</i>	Linnæus.	Bordeaux.	M. J. L. Laporte
GENUS.—CLAUSILIA. <i>Draparnaud</i> , 1805.				
1	<i>C. bidens.</i>	Linnæus.	Italy.	
2	<i>C. Bielzi.</i>	Parreyss.	Hungary, &c.	Sir W. Denison.
3	<i>C. Bogatensis.</i>	Bielz.	Transylvania.	"
4	<i>C. canescens.</i>	Parreyss.	"	"
5	<i>C. commutata.</i>	Rossmässler.	Illyria.	"
6	<i>C. concilians.</i>	A. Schmidt.	Transylvania.	"
7	<i>C. conspersa.</i>	Parreyss.	Janino.	"
8	<i>C. coregreensis.</i>	Mousson.	Corfu.	"
9	<i>C. diodon.</i>	Studer.	Liyano.	
10	<i>C. elata.</i>	Ziegler.	Buccovina.	"
11	<i>C. elegans.</i>	Bielz.	Transylvania.	"
12	<i>C. Fussiana.</i>	"	Konigstein.	"
13	<i>C. Jös.</i>	Benson.	Darjeeling.	
14	<i>C. labiata.</i>	Montagu.	France and Italy.	"
15	<i>C. lævissima.</i>	Ziegler.	Dalmatia.	"
16	<i>C. laminata.</i>	Montagu.	England.	"
17	<i>C. latestriata.</i>	Bielz.	Transylvania.	"
18	<i>C. loxostoma.</i>	Benson.	Sylhet.	Mr. W. Theobald.
19	<i>C. Madensis.</i>	Fuss.	Transylvania.	Sir W. Denison.
20	<i>C. maesta.</i>	Ferussac.	Palestine.	"
21	<i>C. marginata.</i>	Ziegler.	Transylvania.	
22	<i>C. Meschenderferi.</i>	Bielz.	"	"
23	<i>C. nigricans.</i>	Pulteney.	England.	"
24	<i>C. pagana.</i>	Ziegler.	Turkey.	"
25	<i>C. parvula.</i>	Studer.	Switzerland.	"
26	<i>C. Philippiana.</i>	Pfeiffer.	Moulmein.	Mr. W. Theobald.
27	<i>C. plicata.</i>	Draparnaud.	Germany, &c.	Sir W. Denison.
28	<i>C. plumbea.</i>	Rossmässler.	Kronstadt.	
29	<i>C. rubilabris.</i>	Mousson.	Jamaica.	"
30	<i>C. rugosa.</i>	Draparnaud.	France.	M. J. L. Laporte
31	<i>C. senilis.</i>	Ziegler.	Corfu.	Sir W. Denison.





10	<i>L. minuta.</i>	Draparnaud.	France.	
11	<i>L. ovata.</i>	"	<i>a</i> Bordeaux.	
			<i>b</i> Tahiti.	M. Robillard.
12	<i>L. palustris.</i>	"	Britain.	
13	<i>L. peregra.</i>	"	France.	
14	<i>L. stagnalis.</i>	"	<i>a</i> Britain.	
			<i>b</i> Dalmatia.	M.J.L.Laporte
15	<i>L. umbrosa.</i>	Say.	North America. ?	
16	<i>L. umbilicata.</i>	"	"	

GENUS.—PHYSA. *Draparnaud*, 1801.

1	<i>P. acuta.</i>	Draparnaud.	Bordeaux.	
2	<i>P. ancillaria.</i>	Say.	North America.	
3	<i>P. elongata.</i>	"	"	
4	<i>P. fusca.</i>	Rossmässler.	Mazzaron.	
5	<i>P. heterostropha.</i>	Say.	North America.	Sir W. Denison.
6	<i>P. hypnorum.</i>	Linnaeus.	Transylvania.	"

TRIBE.—ANCYLINÆ.

GENUS.—ANCYLUS. *Geoffroy*, 1767.

1	<i>A. fluviatilis.</i>	Müller.	Britain.	
2	<i>A. striatus.</i>	Dupuy.	Bordeaux.	

SUB-ORDER.—THALASSOPHILA.

FAMILY.—AMPULLACERIDÆ.

GENUS.—AMPULLACERA. *Quoy*, 1832.

1	<i>A. nux-avellana.</i>	Quoy & Gaimard.	New Holland.	
---	-------------------------	-----------------	--------------	--

GENUS.—AMPHIBOLA.

1	<i>A. Burmana.</i>	W.T. Blanford.	Pegu.	Mr. W.T. Blanford.
---	--------------------	----------------	-------	--------------------

FAMILY.—SIPHONARIIDÆ. *Gray*, 1840.

GENUS.—SIPHONARIA. *Sowerby*, 1824.

1	<i>S. amosa.</i>	?	Kingsmill Island.	M. Robillard.
2	<i>S. Diemensis.</i>	?	Quoy & Gaimard.	Van Dieman's Land.

TRIBE.—PLANORBINÆ.

GENUS.—PLANORBIS. *Guetard*, 1756.

1	<i>P. armigerus.</i>	Say.	North America.	
2	<i>P. bicarinatus.</i>	"	<i>a</i> "	Sir W. Denison.
			<i>b</i> America.	
3	<i>P. bituberculatus.</i>	"	Massachusetts.	



4	<i>P. campanulatus.</i>	Say.	North America.	
5	<i>P. carinatus.</i>	Müller.	Britain.	
6	<i>P. complanatus.</i>	Lamarck.	Mæstricht.	Sir W. Denison.
7	<i>P. compressus.</i>	Benson.	Lower Bengal.	
8	<i>P. contortus.</i>	Müller.	Britain & France.	
9	<i>P. corneus.</i>	Draparnaud.	Bordeaux.	
10	<i>P. coromandus.</i>	?	Madras.	
11	<i>P. deflectus.</i>	Say.	North America.	
12	<i>P. dilatatus.</i>	Gould.	"	
13	<i>P. hispidus.</i>	Draparnaud.	Switzerland.	Sir W. Denison.
14	<i>P. janinensis.</i>	Mousson.	Jamaica.	"
15	<i>P. lentus.</i>	Say.	North America.	
16	<i>P. nitidus.</i>	Müller.	Dulendorf.	Sir W. Denison.
17	<i>P. parvus.</i>	Say.	North America.	
18	<i>P. Rossmässleri.</i>	Auerswald.	Leipzig.	
19	<i>P. spirorbis.</i>	Müller.	Britain.	
20	<i>P. trivolvus.</i>	Say.	Tennessee.	Sir W. Denison.
21	<i>P. virens.</i>	Adams.	America.	
22	<i>P. vortex.</i>	Müller.	Britain.	

FAMILY.—AURICULDIE. *Risso*, 1828.

SUB-FAMILY 2.—MELAMPEA. *Pfeiffer*, 1853.

GENUS.—MELAMPUS. *Montfort*, 1810.

1	<i>M. caffer.</i>	Küster.	Tahiti.	M. Robillard.
2	<i>M. castaneus.</i>	Muhlfeld.	Sandwich Island.	" *
3	<i>M. cinctus.</i>	Pease.	<i>a</i> Kingsmill Island.	"
			<i>b</i> "	Sir W. Denison.
4	<i>M. coffea.</i>	Linnæus.	America.	
5	<i>M. fasciatus.</i>	Deshayes.	<i>a</i> Tahiti.	" *
			<i>b</i> Ceylon.	
	young.		<i>c</i> Labuan,	
6	<i>M. leuteus.</i>	Quoy & Gaimard.	Tahiti.	"
7	<i>M. parvulus.</i>	Nuttall.	Sandwich Islands.	M. Robillard.
8	<i>M. Philippi.</i>	Küster.	"	Sir W. Denison.
9	<i>M. pusillus.</i>	Gmelin.	Ceylon.	
10	<i>M. semiplicata.</i>	Pease.	Sandwich Islands.	"
11	<i>M. striatus.</i>	"	Tahiti.	"

SUB-FAMILY 3.—AURICULEA.

GENUS.—PYTHIA. *Bolten*, 1798.

1	<i>P. Borneensis.</i>	A. Adams.	Borneo.
2	<i>P. castanea.</i>	Lesson.	Philippines.



3	<i>P. leopardus.</i>	Reeve.	New Georgia.	
4	<i>P. plicata.</i>	Ferussac.	India, Jaffna, Ceylon.	
5	<i>P. striata.</i>	Reeve.	San Nicholas.	
6	<i>P. trigona.</i>	Troschel	<i>a</i> Isld. of Luzon.	
			<i>b</i> Arracan.	Mr. W. T. Blanford.

GENUS.—CASSIDULA. *Ferussac*, 1819.

1	<i>C. auris-felis.</i>	Bruguère.	<i>a</i> Arracan.	Mr. W. T. Blanford.
			<i>b</i> Bombay.	„
2	<i>C. mustelina.</i>	Deshayes.	New Zealand.	„

GENUS.—AURICULA. *Lamarck*, 1799.

1	<i>A. auris-Judæ.</i>	Linnaeus.	Vizagapatam.	
2	<i>A. auris-Midæ.</i>	„	Malacca, &c.	
3	<i>A. fustis.</i>	Benson, M. S.	Bombay.	Mr. W. T. Blanford.
4	<i>A. Gangetica.</i>	Benson.	Delta of the Ganges.	„
5	<i>A. integra.</i>	Say.	America.	

GENUS.—ALEXIA. *Leach*, 1847.

1	<i>A. denticulata ?</i>	Montagu.	Britain.	
2	<i>A. microstoma ?</i>	Küster.	Dalmatia.	
3	<i>A. myosotis.</i>	Draparnaud.	France.	Sir W. Denison.

GENUS.—LEUCONIA. *Gray*, 1840.

1	<i>L. bidentata.</i>	Montagu.	Britain.	
---	----------------------	----------	----------	--

GENUS.—CARYCHIUM. *O. F. Müller*, 1774.

1	<i>C. exiguum.</i>	Say.	United States.	
---	--------------------	------	----------------	--

FAMILY.—PROSERPINACEA. *Gray*.GENUS.—PROSERPINA. *Gray*, 1840.

1	<i>P. nitida.</i>	Gray.	Jamaica.	Sir W. Denison.
---	-------------------	-------	----------	-----------------

## PNEUMONOPOMA.

## SUB-ORDER 1.—OPISTHOPTHALMA.

## FAMILY 1.—ACICULACEA.

GENUS.—GEOMELANIA. *Pfeiffer*, 1845.

1	<i>G. minor.</i>	C. B. Adams.	Jamaica.	
---	------------------	--------------	----------	--

GENUS.—TRUNCATELLA. *Risso*, 1826.

1	<i>T. Ceylanica.</i>	Pfeiffer.	Ceylon.	
2	<i>T. Montagui.</i>	Lowe.	Southampton.	

## FAMILY 2.—DIPLOMMATINACEA.

GENUS.—DIPLOMMATINA. *Benson*, 1849.

1	<i>D. Blanfordiana.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
2	<i>D. diplocheilus.</i>	„	Teria Ghaut.	Mr. W. Theobald.
3	<i>D. liricincta.</i>	W.T. Blanford.	Western Ghauts, near Bombay.	Mr. W.T. Blanford.
4	<i>D. pachycheilus.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
5	<i>D. pullula.</i>	„	„	„

## SUB-ORDER 2.—ECTOPHTHALMA, 1852.

## FAMILY 1.—CYCLOSTOMACEA.

## SUB-FAMILY 1.—CYCLOTEA.

GENUS.—CYCLOTUS. *Guilding*, 1840.

1	<i>C. Deccanense.</i>	W.T. Blanford.	Western Ghauts.	Mr. W.T. Blanford.
2	<i>C. filocinctus.</i>	Benson.	Neilgherries.	Mr. H. Blanford
3	<i>C. Malabaricus.</i>	W. & H. Blanford.	Pykara, Neilgherries.	„
4	<i>C. suturalis.</i>	Sowerby.	Jamaica.	Sir W. Denison.
5	<i>C. variegatus.</i>	Swainson.	Ceylon.	

GENUS.—OPISTHOPORUS. *Benson*, 1855.

1	<i>O. biciliatus.</i>	Mousson.	Borneo.	Sir W. Denison.
2	<i>O. birostris.</i>	Pfeiffer.	Borneo & Sarawak.	„

GENUS.—PTEROCYCLOS. *Benson*, 1832.

1	<i>P. bilabiatus.</i>	Benson.	Salem, South India.	
2	<i>P. hispidus.</i>	Pearson.	Khasia Hills.	Mr. W. Theobald.
3	<i>P. rupestris.</i>	Benson.	<i>a</i> Cuttack, India.* <i>b</i> Nullahmallays.	Captain R. H. Beddome.
4	<i>P. tenuilabiatus. ?</i>	Metcalf.	Borneo.	

GENUS.—ALYCÆUS. *Gray*, 1850.

1	<i>A. Bembex.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
2	<i>A. exul.</i>	Blanford.	Neilgherries.	„
3	<i>A. Otiphorus.</i>	Benson.	Darjeeling.	„
4	<i>A. plectocheilus.</i>	„	„	„



5 A. prosectus.	Benson.	Teria Ghaut.	Mr. W. Theobald.
6 A. styliker.	„	Darjeeling.	Mr. H. Blanford.
7 A. Urnula.	„	„	„

GENUS.—OPISTHOSTOMA. *Blanford*, 1864.

1 O. macrostoma.	S. N. Beddome.	Bramahmullays, S. Wynaud.	Captain R. H. Beddome.
------------------	----------------	------------------------------	------------------------

GENUS.—HYBOCYSTIS. *Benson*, 1859.

1 H. gravida.	Benson.	Moulmein.	Mr. W. Theobald.
---------------	---------	-----------	------------------

SUB-FAMILY 2.—CYCLOPHOREA.

GENUS.—CYCLOPHORUS. *Montfort*, 1810.

1 C. annulatus.	Troschel.	a Ceylon.	
„ small var.		b „	
2 C. aquila.	Sowerby.	Burmah.	
3 C. Aurora.	Benson.	Darjeeling.	
4 C. Bensoni.	Pfeiffer.	Assam.	
5 C. Borneensis.	Metcalf.	Borneo.	
6 C. coeloconus.	Benson.	Neilgherries.	
7 C. cuspidatus.	„	„	Mr. W. T. Blanford.
8 C. excellens.	Pfeiffer.	Moulmein.	Mr. W. Theobald.
9 C. expansus.	„	Pegu.	„
10 C. fulguratus.	„	Thayet Myo.	„
11 C. Himalayanus.	„	Darjeeling.	„
12 C. Indicus.	Deshayes.	Matheran, Bombay.	
13 C. involvulus.	Müller.	Midnapore.*	„
14 C. patens.	W. T. Blanford.	Pegu.	Mr. W. T. Blanford.
15 C. Pearsoni.	Benson.	Chittagong.	Mr. W. Theobald.
16 C. perdix.	Broderip, and Sowerby.	Singapore.	
17 C. Phænotopicus.	Benson.	Darjeeling.	
18 C. pyrotrema.	„	Rajmahal.	
19 C. Scurra.	„	Pegu.	Mr. W. T. Blanford.
20 C. semisulcatus.	Sowerby.	Malacca.	



21	<i>C. Siamensis.</i>	Sowerby.	Teria Ghat.	Mr. W. Theobald.
22	<i>C. stenomphalus.</i>	Pfeiffer.	Elephanta, Bombay.	
23	<i>C. stenostomus.</i>	Sowerby.	Neilgherries.*	
24	<i>C. Theobaldianus</i>	Benson.	Tenasserim.	
25	<i>C. tigrinus.</i>	Sowerby.	Philippines.	
26	<i>C. tuba.</i>	„	Malacca.	
27	<i>C. zebrinus.</i>	Benson.	Khasia Hills.	Mr. W. Theobald.

GENUS.—LEPTOPOMA. *Pfeiffer*, 1847.

1	<i>L. aspirans.</i>	Benson.	Tenasserim Valley.	Mr. W. Theobald.
2	<i>L. sericatum.</i>	Pfeiffer.	Island of Daat, Borneo.*	

GENUS.—DERMATOCERA. *H. and A. Adams.*

1	<i>D. vitrea.</i>	Lesson.	Island of Puppan, near Labuan.	
---	-------------------	---------	-----------------------------------	--

SUB-FAMILY 3.—PUPINEA.

GENUS.—MEGALOMASTOMA. *Guilding*, 1840.

1	<i>M. funiculatum.</i>	Benson.	Darjeeling.	Mr. H. Blanford.
---	------------------------	---------	-------------	------------------

GENUS.—CATAULUS. *Pfeiffer.*

1	<i>C. recurvatus.</i>	Pfeiffer.	Anamallays.	Capt. R. H. Beddome.*
---	-----------------------	-----------	-------------	-----------------------

GENUS.—ARINIA. *H. and A. Adams*, 1852.

1	<i>A. Nilgirica.</i>	Blanford.	Pykara, Neilgherries.	Mr. H. Blanford.
---	----------------------	-----------	-----------------------	------------------

GENUS.—PUPINA. *Vignard*, 1829.

1	<i>P. Ottonis.</i>	Dohrn.	Isld. of Mindanao.	
---	--------------------	--------	--------------------	--

SUB-FAMILY 4.—LICINEA.

GENUS.—CHOANOPOMA. *Pfeiffer*, 1847.

1	<i>C. decussatum.</i>	Lamarck.	Porto-rico.	
2	<i>C. fimbriatulum.</i>	Sowerby,	Jamaica.	Sir W. Denison.
3	<i>C. Lincina.</i>	Linnaeus.	„	„

GENUS.—CYCLOTOPSIS. *W. T. Blanford*, 1864.

1	<i>C. semistriatus.</i>	Sowerby.	Poonah.	Mr. W. T. Blanford.
2	<i>C. subdiscoidens.</i>	„	<i>a</i> Orissa. <i>b</i> Nullahmallays	Capt. R. H. Beddome.

GENUS.—ADAMSIELLA. *Pfeiffer*, 1851.

1 <i>A. ignilabris</i> .	Adams.	Jamaica.	Sir W. Denison.
2 <i>A. monstrosa</i> .	C. B. Adams.	„	„
3 <i>A. pulchrior</i> .	„	„	„
4 <i>A. variabilis</i> .	„	„	„

## SUB-FAMILY.—CYCLOSTOMEA.

GENUS.—OTOPOMA. *Gray*, 1850.

1 <i>O. Hinduorum</i> .	W. T. Blanford.	Kattiawar.	
2 <i>O. Listeri</i> .	Gray.	Mauritius.	M. Robillard.

GENUS.—CYCLOSTOMUS. *Montfort*, 1810.

1 <i>C. aplustre</i> .	Sowerby.	Madagascar.	
2 <i>C. articulatus</i> .	Gray.	Island of Rodrigues.	M. Robillard.
3 <i>C. Bronni</i> .	Adams.	Jamaica.	Sir W. Denison.
4 <i>C. costulatus</i> .	Ziegler.	Hermannstadt.	„
5 <i>C. elegans</i> .	Müller.	<i>a</i> Britain.	
		<i>b</i> Bordeaux.	
6 <i>C. ocellus</i> .	Mörch.	Madagascar.	M. Robillard.
7 <i>C. retusus</i> .	C. B. Adams.	Jamaica.	Sir W. Denison.
8 <i>C. tricarinatus</i> .	Müller.	Mauritius, very rare,	M. Robillard.
		never found alive.	

GENUS.—TUDORA. *Gray*.

1 <i>T. armata</i> .	Adams.	Jamaica.	Sir W. Denison.
2 <i>T. columna</i> .	Wood.	„	„
3 <i>T. maritima</i> .	C. B. Adams.	„	„

SUB-FAMILY 7.—POMATIATEA. *Pfeiffer*.GENUS.—POMATIAS. *Studer*, 1789.

1 <i>P. Carthusianus</i> .	Dupuy.	Savoy.	Sir W. Denison.
2 <i>P. cinerascens</i> .	Rossmässler.	Italy.	„
3 <i>P. Himalayæ</i> .	Benson.	Darjeeling.	Mr. H. Blanford.
4 <i>P. maculatus</i> .	Draparnaud.	<i>a</i> Pyrenees.	Sir W. Denison.
		<i>b</i> Verona.	„
5 <i>P. patulus</i> .	„	France.	„
6 <i>P. striolatus</i> .	Porro.	Genoa.	„
7 <i>P. tessellatus</i> .	Wiegmann.	Corfu.	„

GENUS.—HYDROCENA. *Parreyss*, 1843.

1 <i>H. robusta</i> .	?	Tahiti.	M. Robillard.
2 <i>H. Tahitensis</i> .	Pease.	„	„
3 <i>H. varia</i> .	?	„	„

GENUS.—OMPHALOTROPIS. *Pfeiffer*, 1851.

- |               |   |            |               |
|---------------|---|------------|---------------|
| 1 O. Layardi. | ? | Hab. ?     | M. Robillard. |
| 2 O. vario.   | ? | Mauritius. | "             |

## FAMILY 2.—HELICINACEA.

## SUB-FAMILY 1.—STOASTOMEA.

GENUS.—STOASTOMA. *C. A. Adams*, 1849.

- |                 |          |              |
|-----------------|----------|--------------|
| 1 S. succineum. | Sowerby. | South Spain. |
|-----------------|----------|--------------|

## SUB-FAMILY 2.—HELICINEA.

GENUS.—TROCHATELLA. *Swainson*, 1840.

- |                    |       |          |
|--------------------|-------|----------|
| 1 T. pulchella.    | Gray. | Jamaica. |
| 2 T. Tankervillei. | "     | "        |

GENUS.—LUCIDELLA. *Swainson*, 1840.

- |               |           |          |                 |
|---------------|-----------|----------|-----------------|
| 1 L. aureola. | Ferussac. | Jamaica. | Sir W. Denison. |
|---------------|-----------|----------|-----------------|

GENUS.—HELICINA. *Lamarch*.

- |                  |            |            |                 |
|------------------|------------|------------|-----------------|
| 1 H. Adamsiana.  | Pfeiffer.  | Jamaica.   | Sir W. Denison. |
| 2 H. albolabris. | Jacquinot. | Tahiti.    | "               |
| 3 H. costata.    | Gray.      | Jamaica.   | "               |
| 4 H. discoidea.  | ?          | Tahiti.    | M. Robillard.   |
| 5 H. faba.       | ?          | "          | "               |
| 6 H. maxima.     | Sowerby.   | Jamaica.   | Sir W. Denison. |
| 7 H. neritella.  | Lamarch.   | Barbadoes. |                 |
| 8 H. pisum.      | Jacquinot. | Tahiti.    | M. Robillard.   |
| 9 H. rufescens.  | ?          | "          | "               |
| 10 H. solida.    | ?          | "          | "               |

GENUS.—ALCADIA. *Gray*, 1842.

- |                    |        |          |                 |
|--------------------|--------|----------|-----------------|
| 1 A. Brownei.      | Gray.  | Jamaica. | Sir W. Denison. |
| 2 A. consanguinea. | Adams. | "        | "               |
| 3 A. Hollandi.     | "      | "        | "               |
| 4 A. megastoma.    | "      | "        | "               |
| 5 A. palliata.     | "      | "        | "               |

## SUB-FAMILY.—GEORISSEA.

GENUS.—GEORISSA. *W. T. Blanford*.

- |                   |         |      |                  |
|-------------------|---------|------|------------------|
| 1 G. Frustrillum. | Benson. | Ava. | Mr. W. Theobald. |
|-------------------|---------|------|------------------|

## SUB-ORDER.—PROSOPHTHALMA.

## FAMILY.—ASSIMINIIDÆ.

GENUS.—ASSIMINIA. *Leach*, 1816.

- |               |   |          |
|---------------|---|----------|
| 1 A. faciata. | ? | Hooghly. |
| 2 A. Grayana. | ? | Britain. |



3 <i>A. miniata</i> .	Von Martens.	Singapore.	
4 <i>A. rotundata</i> .	Fairbank.	Bombay.	Mr. W. T. Blandford.
5 <i>A. rubella</i> .	W. T. Blandford.	Pegu.	"
6 <i>A. sub-conica</i> .	Leith.	Bombay.	"
7 <i>A. sulcata</i> .	Benson.	Banks of Hooghly.	"

## 2D SUB-DIVISION.

CLASS.—CONCHIFERA. *Lamarck*, 1818.ORDER 1.—PHOLADACEA. *Blainville*, 1818.FAMILY 1.—PHOLADIDÆ. *Leach*, 1819.SUB-FAMILY.—PHOLADINÆ. *H. and A. Adams*, 1855.GENUS.—PHOLAS. *Linnaeus*, 1757.1 *P. Bakeri* ? *Deshayes*. *Madras*.GENUS.—DACTYLINA. *Gray*, 1847.1 *D. dactylus*. *Linnaeus*. *Britain*.GENUS.—BARNEA. *Leach*, 1826.1 *B. parva*. *Linnaeus*. *Britain*.GENUS.—PHOLADIDEA. *Turton*, 1819.1 *P. papyracea*. *Solander*. *Britain*.GENUS.—MARTESIA. *Leach*, 1847.

1 *M. striata*. *Linnaeus*. *Burmah* (probably) } Was cut out of  
 a log of Teak  
 at the Museum.

SUB-FAMILY 2.—TEREDININÆ. *H. and A. Adams*, 1855.GENUS.—TEREDO. *Linnaeus*, 1757.1 *T. corniformis*. *Lamarck*. *Tropical Seas*.2 *T. navalis*. *Linnaeus*. *European Seas*.FAMILY 2.—GASTROCHÆNIDÆ. *Gray*, 1840.GENUS.—GASTROCHÆNA. *Lamarck*, 1818.1 *G. modiolina*. *Lamarck*. *Britain*.GENUS.—CLAVAGELLA. *Lamarck*, 1807.1 *C. aperta*. *Sowerby*. *Malta*.GENUS.—ASPERGILLUM. *Lamarck*, 1809.1 *A. disjunctum*. *Deshayes*. *Hab. ?*

FAMILY 3.—SOLENIIDÆ. *Latreille, 1825.*SUB-FAMILY 1.—SOLEININÆ. *H. and A. Adams.*GENUS.—SOLEN. *Linnaeus, 1757.*

- |   |                     |           |               |
|---|---------------------|-----------|---------------|
| 1 | <i>S. corneus</i> ? | Lamarck.  | Java.         |
| 2 | <i>S. ensis.</i>    | Linnaeus. | Britain, &c.  |
| 3 | <i>S. siliqua.</i>  | „         | „ *           |
| 4 | <i>S. vagina.</i>   | „         | Indian Seas.* |

SUB-FAMILY 2.—PHARINÆ. *H. and A. Adams.*GENUS.—PHARUS. *Leach, 1840.*

- |   |                    |           |          |
|---|--------------------|-----------|----------|
| 1 | <i>P. legumen.</i> | Linnaeus. | Britain. |
|---|--------------------|-----------|----------|

GENUS.—CULTELLUS. *Schumacher, 1817.*

- |   |                      |           |          |                 |
|---|----------------------|-----------|----------|-----------------|
| 1 | <i>C. cultellus.</i> | Linnaeus. | Ceylon.  | Sir W. Denison. |
| 2 | <i>C. lacteus.</i>   | Spengler. | Malacca. |                 |

GENUS.—MACHÆRA. *Gould, 1841.*

- |   |                    |           |                           |
|---|--------------------|-----------|---------------------------|
| 1 | <i>M. radiata.</i> | Linnaeus. | <i>a</i> Bay of Bengal.   |
|   |                    |           | <i>b</i> Madras Coast.*** |

GENUS.—SOLECURTUS. *Blainville, 1824.*

- |   |                        |           |         |                |
|---|------------------------|-----------|---------|----------------|
| 1 | <i>S. strigilatus.</i> | Linnaeus. | Ceylon. | Sir W. Denison |
|---|------------------------|-----------|---------|----------------|

GENUS.—NOVACULINA. *Benson, 1830.*

- |   |                      |           |           |
|---|----------------------|-----------|-----------|
| 1 | <i>N. Gangetica.</i> | Benson.   | Calcutta. |
| 2 | <i>N. olivacea.</i>  | Metcalfe. | Malacca.  |

FAMILY 4.—GLYCIMERIDÆ. *Deshayes, 1839.*GENUS.—SAXICAVA. *Fleuriau de Bellevue, 1802.*

- |   |                   |           |          |
|---|-------------------|-----------|----------|
| 1 | <i>S. rugosa.</i> | Linnaeus. | Britain. |
|---|-------------------|-----------|----------|

GENUS.—PANOPEÆA. *Menard de la Groye, 1807.*

- |   |                       |          |           |
|---|-----------------------|----------|-----------|
| 1 | <i>P. Aldrovandi,</i> | Lamarck. | Portugal. |
|---|-----------------------|----------|-----------|

GENUS.—GLYCIMERIS. *Lamarck, 1801.*

- |   |                    |           |           |
|---|--------------------|-----------|-----------|
| 1 | <i>G. siliqua.</i> | Chemnitz. | America.* |
|---|--------------------|-----------|-----------|

FAMILY 5.—MYIDÆ. *Gray, 1839.*GENUS.—MYA. *Linnaeus, 1747.*

- |   |                     |           |                  |
|---|---------------------|-----------|------------------|
| 1 | <i>M. arenaria.</i> | Linnaeus. | European Ocean.* |
|---|---------------------|-----------|------------------|

FAMILY 6.—CORBULIDÆ. *Broderip, 1839.*GENUS.—CORBULA. *Bruguière, 1792.*

- |   |                    |          |              |
|---|--------------------|----------|--------------|
| 1 | <i>C. nucleus.</i> | Lamarck. | Britain.     |
| 2 | <i>C. polita.</i>  | Hinds.   | Philippines. |

FAMILY 7.—ANATINIDÆ. *D'Orbigny, 1845.*GENUS.—ANATINA. *Lamarck, 1809.*

- |   |                     |               |        |
|---|---------------------|---------------|--------|
| 1 | <i>A. Cumingii.</i> | Valenciennes. | Hab. ? |
|---|---------------------|---------------|--------|



GENUS.—LYONSIA. *Turton*, 1822.

- 1 *L. norvegica*. Chemnitz. Britain.

GENUS.—THRACIA. *Leach*, 1824.

- 1 *T. villosiuscula* McGillivray. Britain.

GENUS.—NEÆRA. *Gray*, 1834.

- 1 *N. cuspidata*. Olivier. Britain.

GENUS.—PANDORA. *Bruguière*, 1792.

- 1 *P. obtusa*. Lamarck. Britain.

GENUS.—MYODORA. *Gray*, 1840.

- 1 *M. ovata*. Reeve. Moreton Bay.

GENUS.—MYOCHAMA. *Stutchbury*, 1830.

- 1 *M. transversa*. Adams. Moreton Bay.

GENUS.—CHAMOSTREA. *DeRoissy*, 1805.CLEIDOTHERUS. *Stutchbury*, 1829.

- 1 *C. albida*, Lamarck. Sydney.

ORDER 2.—VENERACEA. *Menke*, 1830.FAMILY 8.—MACTRIDÆ. *Gray*, 1840.SUB-FAMILY 1.—MACTRINÆ. *H. and A. Adams*.GENUS.—MACTRA. *Linnæus*, 1767.

- |    |                          |           |  |                 |
|----|--------------------------|-----------|--|-----------------|
| 1  | <i>M. attenuata</i> .    | Deshayes. | Madras.                                    |                 |
| 2  | <i>M. decora</i> .       | „         | Hab. ?                                     |                 |
| 3  | <i>M. egena</i> ?        | „         | „  |                 |
| 4  | <i>M. elliptica</i> .    | Brown.    | British Seas.                              |                 |
| 5  | <i>M. exoleta</i> .      | Gray.     | Cape Horn.                                 |                 |
| 6  | <i>M. lævis</i> .        | Chemnitz. | <i>a</i> Philippines.<br><i>b</i> Madras.* |                 |
| 7  | <i>M. ornata</i> .       | Gray.     | Ceylon.                                    | Sir W. Denison, |
| 8  | <i>M. plicataria</i> .   | Linnæus.  | Sumatra.                                   |                 |
| 9  | <i>M. Reevesii</i> .     | Gray.     | Malacca.                                   |                 |
| 10 | <i>M. solidissima</i> .  | Chemnitz. | Massachusetts.                             |                 |
| 11 | <i>M. stultorum</i> .    | Linnæus.  | Britain.                                   |                 |
| 12 | <i>M. subtruncata</i> .  | Montagu.  | „  |                 |
| 13 | <i>M. symmetrica</i> .   | Deshayes. | Ceylon.*                                   |                 |
| 14 | <i>M. transversa</i> .   | „         | Singapore.                                 |                 |
| 15 | <i>M. triangularis</i> . | Lamarck.  | Hab. ?                                     |                 |
| 16 | <i>M. truncata</i> .     | Montagu.  | Britain.                                   |                 |
| 17 | <i>M. violacea</i> .     | Chemnitz. | Malacca.                                   |                 |



GENUS.—RANGIA. *Desmoulins*, 1832.

- 1 *R. cyrenoides*. *Desmoulins*. Lake Pontchartrain. M.J.L.Laporte

SUB-FAMILY 2.—LUTRARIINÆ. *H. and A. Adams*.

GENUS.—LUTRARIA. *Lamarck*, 1799.

- 1 *L. oblonga*. *Turton*. Britain.

FAMILY 9.—TELLINIDÆ.

SUB-FAMILY 1.—TELLININÆ.

GENUS.—ASAPHIS. *Modeer*, 1793.

- 1 *A. rugosa*. *Lamarck*. Reunion Island. M. Robillard.

GENUS.—PSAMMOBIA. *Lamarck*, 1818.

- 1 *P. amethystus*. *E. L. Layard*. Ceylon. Sir W. Denison.  
 2 *P. cærulescens*. *Lamarck*. „ ”  
 3 *P. Ferroensis*. *Chemnitz*. Britain.  
 4 *P. Malaccana*. *Reeve*. Malacca.  
 5 *P. occidens*. *Chemnitz*. Ceylon.\* „  
 6 *P. Tellinella*. *Lamarck*. Britain.  
 7 *P. tripartita*. *Deshayes*. Aden.  
 8 *P. vespertina*. *Gmelin*. Britain ?

GENUS.—SANGUINOLARIA. *Lamarck*, 1799.

- 1 *S. sanguinolenta*. *Gmelin*. Philippines.

GENUS.—SOLETELLINA. *Blainville*, 1824.

- 1 *S. diphos*. *Linnæus*. Malacca.\*

SUB-GENUS.—PSAMMOTELLA. *Blainville*, 1826.

- 1 *P. Skinneri* ? *Reeve*. Ceylon.

GENUS.—TELLINA. *Linnæus*, 1758.

- 1 *T. capsoides*. *Lamarck*. Island of St. Pierre.  
 2 *T. carnaria*. *Linnæus*. La Guayra. M.J.L.Laporte  
 3 *T. crassa*. *Pennant*. Britain.  
 4 *T. depressa*. *Gmelin*. Cayenne. „  
 5 *T. donacina*. *Linnæus*. Britain.  
 6 *T. foliacea*. „ Indian Ocean.  
 7 *T. lingua-felis*. „ „ \*  
 8 *T. pisiformis*. *Lamarck*. Jamaica.  
 9 *T. radiata*. *Linnæus*. The Antilles. „  
 10 *T. rostrata*. „ Indian Ocean.\*  
 11 *T. solidula*. *Pulteney*. Britain.\*  
 12 *T. Spengleri*. *Chemnitz*. Malacca.  
 13 *T. staurella*. *Lamarck*. New Holland.  
 14 *T. subar*. ? Kingsmill Island. M. Robillard.

15	<i>T. tenuis.</i>	DaCosta.	Atlantic.	M.J.L.Laporte
16	<i>T. Tongana.</i>	Quoy.	Tonga Tabou.	
17	<i>T. unimaculata.</i>	Lamarck.	The Antilles.	"
18	<i>T. virgata.</i>	Linnæus.	<i>a</i> The Indian Ocean.*	
			<i>b</i> Ceylon.	Sir W. Denison.

GENUS.—LUCINOPSIS. *Forbes and Hanley, 1848.*

1	<i>L. undata.</i>	Pennant.	Britain.
---	-------------------	----------	----------

SUB-FAMILY.—DONACINÆ.

GENUS.—DONAX. *Linnæus, 1758.*

1	<i>D. anatinus.</i>	Lamarck.	British Seas.
2	<i>D. cuneata.</i>	Linnæus.	<i>a</i> Ceylon.
			<i>b</i> Madras.***
3	<i>D. deltoides.</i>	Lamarck.	Brisbane, Australia.
4	<i>D. denticulata.</i>	Linnæus.	West Indies.
5	<i>D. scortum.</i>	"	<i>a</i> Madras.***
			<i>b</i> Cape of Good Hope.

GENUS.—IPHIGENIA. *Schumacker, 1817.*

1	<i>I. media.</i>	Shuttleworth.	West Indies.
---	------------------	---------------	--------------

GENUS.—CAPSA. *Lamarck, 1818.*

1	<i>C. deflorata.</i>	Linnæus.	Eastern Seas.
---	----------------------	----------	---------------

GENUS.—GALATEA. *Bruguère, 1792.*

1	<i>G. radiata.</i>	Lamarck.	Ceylon, &c.
---	--------------------	----------	-------------

SUB-FAMILY 3.—SCROBICULARIINÆ.

GENUS.—SCROBICULARIA. *Schumacher, 1817.*

1	<i>S. piperata.</i>	Gmelin.	Britain.
---	---------------------	---------	----------

GENUS.—AMPHIDESMA. *Lamarck, 1818.*

1	<i>A. scabra.</i>	Hanley.	Philippines.
---	-------------------	---------	--------------

GENUS.—CUMINGIA. *Sowerby, 1833.*

1	<i>C. eucharis.</i>	Reeve.	West Indies.
---	---------------------	--------	--------------

SUB-FAMILY 4.—PAPHIINÆ. *H. and A. Adams.*

GENUS.—MESODESMA. *Deshayes, 1830.*

1	<i>M. crassula.</i>	Deshayes.	Hab. ?
2	<i>M. glabrata.</i>	?	Island of Reunion. M. Robillard.
3	<i>M. nitida.</i>	Deshayes.	Hab. ?
4	<i>M. ovalis.</i>	"	New Zealand.
5	<i>M. striata.</i>	"	Hab. ?



FAMILY 10.—VENERIDÆ. *H. and A. Adams.*SUB-FAMILY 1.—VENERINÆ. *H. and A. Adams.*GENUS.—VENUS. *Linnaeus, 1758.*

1	<i>V. alatus.</i>	Reeve.	Swan River.**	
2	<i>V. Columbiensis.</i>	Sowerby.	St. Elena.	
3	<i>V. crispata ?</i>	Deshayes.	Hab. ?	
4	<i>V. fasciata.</i>	DaCosta.	Britain.	
5	<i>V. Gnidia.</i>	Broderip and Sowerby.	San Blas, Mexico.	
6	<i>V. Isabellina.</i>	Philippi.	Sydney.*	Sir W. Denison.
7	<i>V. Lamarckii.</i>	Gray.	China.	
8	<i>V. Listeri.</i>	„	Philippines.	
9	<i>V. lyra ?</i>	Hanley.	Gulf of Guinea.	
10	<i>V. mercenaria.</i>	Linnaeus.	North America.	
11	<i>V. ovata.</i>	Pennant.	W. Coast of Britain.	
12	<i>V. plicata.</i>	Gmelin.	West Africa.	
13	<i>V. puerpera.</i>	Linnaeus.	Philippines.	
14	<i>V. reticulata.</i>	Sowerby.	Rogers' Straits.	Sir W. Denison.
15	<i>V. reticulata.</i>	Linnaeus.	Philippines.	
16	<i>V. striatula.</i>	DaCosta.	Britain.	
17	<i>V. verrucosa.</i>	Linnaeus.	„	

GENUS.—CYTHEREA. *Lamarck, 1805.*

18	<i>C. castanea.</i>	Lamarck.	Indian Ocean.*	
19	<i>C. creplini.</i>	Dunker.	Cannanore.	Mr. W. T. Blandford.
20	<i>C. impudica.</i>	Lamarck.	<i>a</i> India. <i>b</i> Labuan.*	
21	<i>C. morphina.</i>	„	Ceylon.**	
22	<i>C. ovum.</i>	Hanley.	Madras.*	

GENUS.—DIONE. *Gray, 1847.*

1	<i>D. aurantia.</i>	Gray.	Acapulco, South America.	
2	<i>D. chione.</i>	Linnaeus.	Seas of Europe.	
3	<i>D. erycina.</i>	„	Ceylon.*	
4	<i>D. festiva.</i>	Sowerby.	Eastern Seas.	
5	<i>D. Hagenowi.</i>	Dunker.	Red Sea.	Sir H. Barkly.
6	<i>D. impar.</i>	Lamarck.	Swan River, Aus- tralia.	Sir W. Denison.
7	<i>D. rosea.</i>	Broderip and Sowerby.	Panama.	



GENUS.—MERCE. *Schumacher*, 1817.

- |                        |           |  |
|------------------------|-----------|--|
| 1 <i>M. hians</i> .    | Reeve.    | Madras.*   |
| 2 <i>M. picta</i> .    | Lamarck.  | Indian Ocean.**  |
| 3 <i>M. seminuda</i> . | Philippi. | Moluccas.*   |
| 4 <i>M. scripta</i> .  | Rumphius. | Indian Ocean.*   |
| 5 <i>M. Solandri</i> . | Gray.     | Madras Coast.**  |
| 6 <i>M. truncata</i> . | Deshayes. | <i>a</i> Philippines.<br><i>b</i> Madras Coast.**<br><i>c</i> Vizagapatam. |

GENUS.—CIRCE. *Schumacher*, 1817.

- |                           |           |   |
|---------------------------|-----------|---|
| 1 <i>C. castrensis</i> .  | Linnaeus. | Indian Ocean.   |
| 2 <i>C. divaricata</i> .  | Chemnitz. | <i>a</i> Bombay. Mr.W.T.Blanford.<br><i>b</i> Indian Ocean. |
| 3 <i>C. gibba</i> .       | Lamarck.  | "   |
| 4 <i>C. lentiginosa</i> . | Chemnitz. | Aden.   |
| 5 <i>C. pectinata</i> .   | Linnaeus. | Kingsmill Island. M. Robillard.                             |
| 6 <i>C. scripta</i> .     | "         | Indian Ocean.*  |
| 7 <i>C. Sowerbyi</i> .    | Deshayes. | Philippines.  |
| 8 <i>C. trimaculata</i> . | Lamarck.  | Ceylon ?* Sir W.Denison.                                    |

## SUB-FAMILY 2.—DOSINIINÆ.

GENUS.—DOSINIA. *Scopoli*, 1777.

- |                           |           |                                      |
|---------------------------|-----------|--------------------------------------|
| 1 <i>D. exoleta</i> .     | Deshayes. | Britain.                             |
| 2 <i>D. fibula</i> .      | Reeve.    | Pulicat.*                            |
| 3 <i>D. laminata</i> .    | "         | Philippines.                         |
| 4 <i>D. lincta</i> .      | Deshayes. | Britain.                             |
| 5 <i>D. Patagonica</i> .  | Philippi. | Patagonia.                           |
| 6 <i>D. penicillata</i> ? | Reeve.    | <i>a</i> Hab. ?<br><i>b</i> Malacca. |

## SUB-FAMILY 3.—TAPESINÆ.

GENUS.—TAPES. *Megerle*, 1811.

- |                         |           |   |
|-------------------------|-----------|---|
| 1 <i>T. aurea</i> .     | Gmelin.   | Constantinople. M. Robillard.<br><i>b</i> Britain.  |
| 2 <i>T. Bruguièri</i> . | Hanley.   | Vizagapatam.  |
| 3 <i>T. decussata</i> . | Linnaeus. | <i>a</i> Toulon. M. Robillard.<br><i>b</i> Britain.<br><i>c</i> Atlantic Ocean. M.J.L.Laporte |
| 4 <i>T. literata</i> .  | "         | <i>a</i> W. Australia. Sir W.Denison.<br><i>b</i> Indian Ocean.                               |
| 5 <i>T. marmorata</i> . | Lamarck   | Bombay.*  |
| 6 <i>T. pullastra</i> . | Montagu.  | Britain.  |

7	<i>T. quadriradiata.</i>	Deshayes.	Ceylon ?	Sir W. Denison.
8	<i>T. radiata.</i>	Chemnitz.	Indian Ocean.	
9	<i>T. rotundata.</i>	Linnæus.	Ceylon.*	
10	<i>T. textrix.</i>	Chemnitz	Malacca.*	
11	<i>T. virginea.</i>	Linnæus.	Britain.	

GENUS.—VENERUPIS. *Lamarck*, 1818.

1	<i>V. Irus.</i>	Linnæus.	Britain.	
---	-----------------	----------	----------	--

GENUS.—CYPRICARDIA. *Lamarck*, 1819.

1	<i>C. vellicata.</i>	Reeve.	Philippines.	
---	----------------------	--------	--------------	--

## FAMILY 11.—PETRICOLIDÆ.

GENUS.—PETRICOLA. *Lamarck*, 1801.

1	<i>P. lithophaga.</i>	Retzius.	Mediterranean.	
---	-----------------------	----------	----------------	--

## FAMILY 12.—GLAUCONOMYIDÆ.

GENUS.—GLAUCONOMA. *Gray*, 1828.

1	<i>G. rugosa.</i>	Hanley.	Malacca.	
---	-------------------	---------	----------	--

## FAMILY 13.—CYPRINIDÆ.

GENUS.—CYPRINA. *Lamarck*, 1812.

1	<i>C. islandica.</i>	Lamarck.	Britain.	
---	----------------------	----------	----------	--

## FAMILY 14.—CYRENIDÆ.

GENUS.—CYRENA. *Lamarck*, 1806.

1	<i>C. Bengalensis.</i>	Deshayes.	Sunderbunds, Bengal.	Mr. W. T. Blanford.
2	<i>C. Ceylanica ?</i>	Chemnitz.	Rutnagherry.	"
3	<i>C. fuscata.</i>	Lamarck.	Moulmein.	
4	<i>C. Malaccensis.</i>	?	Malacca.	
5	<i>C. Sumatrensis.</i>	Sowerby.	Sumatra.*	

GENUS.—CYCLAS. *Bruguère*, 1792.

1	<i>C. cornea.</i>	Linnæus.	Britain.*	
2	<i>C. Linslayi</i>	?	America ?*	
3	<i>C. modesta.</i>	Pfeiffer.	"	
4	<i>C. nucleus.</i>	Normand.	Bordeaux.	M. J. L. Laporte
5	<i>C. ovalis.</i>	Stimpson.	"	"
6	<i>C. partumeia.</i>	Say.	America.*	
7	<i>C. similis.</i>	"	" *	

GENUS.—PISIDIUM. *Pfeiffer*, 1821.

1	<i>P. dubium.</i>	Say.	America.	
2	<i>P. pusillum.</i>	Gmelin.	Britain.	



## FAMILY 16.—CARDIIDÆ.

GENUS.—CARDIUM. *Linnæus*, 1758.

1	<i>C. alternatum.</i>	Sowerby.	Australia.	Sir W. Denison.
2	<i>C. cardissa.</i>	Linnæus.	Eastern Seas.	
3	<i>C. costatum.</i>	„	E. Coast of Africa.	
4	<i>C. echinatum.</i>	„	European Seas.	
5	<i>C. edule.</i>	„	„ *	
6	<i>C. elatum.</i>	Sowerby.	California.	
7	<i>C. enode.</i>	„	Ceylon.	
8	<i>C. fimbriatum.</i>	Wood.	China.	
9	<i>C. hemicardium.</i>	Linnæus.	Philippines.*	
10	<i>C. latum.</i>	Born.	„ *	
11	<i>C. lyratum.</i>	Sowerby.	„	
12	<i>C. multispinosum.</i>	„	China.	
13	<i>C. muticum.</i>	Reeve.	Ceylon.	
14	<i>C. nebulosum.</i>	„	„	„
15	<i>C. oxygonum.</i>	Sowerby.	China, &c.	
16	<i>C. Pennantii.</i>	Beck.	Exmouth, Devon.	
17	<i>C. pseudo-lima.</i>	Lamarck.	Zanzibar.	
18	<i>C. pygmeum.</i>	?	Britain.	
19	<i>C. rugosum.</i>	Lamarck.	Ceylon, &c.	
20	<i>C. rusticum.</i>	Linnæus.	Adriatic Sea.	
21	<i>C. tenuicostatum.</i>	Lamarck.	<i>a</i> New Holland.	Sir W. Denison.
			<i>b</i> Mauritius.	M. Robillard.
22	<i>C. tumoriferum.</i>	„	New Holland.	
23	<i>C. unedo.</i>	Linnæus.	<i>a</i> Rogers' Straits.	Sir W. Denison.
			<i>b</i> Ceylon, &c.	
24	<i>C. vertebratum.</i>	Jonas.	Australia.	

## FAMILY 17.—ISOCARDIIDÆ.

GENUS.—ISOCARDIA. *Lamarck*, 1799.

1	<i>I. vulgaris.</i>	Reeve.	China.
---	---------------------	--------	--------

## FAMILY 18.—CHAMIDÆ.

GENUS.—CHAMA. *Bruguère*, 1789.

1	<i>C. multisquamosa.</i>	Reeve.	Philippines.
---	--------------------------	--------	--------------

## FAMILY 19.—TRIDACNIDÆ.

GENUS.—TRIDACNA. *Bruguère*, 1789.

1	<i>T. Cumingii.</i>	Reeve.	Andamans.	Lieut. McGoun.
2	<i>T. elongata.</i>	Lamarck.	<i>a</i> Australia.	Sir W. Denison.
			<i>b</i> Philippines.	





GENUS.—CARDITA. *Bruguière*, 1789.

- |                         |            |          |               |
|-------------------------|------------|----------|---------------|
| 1 <i>C. antiquata</i> ? | Linnaeus.  | Madras.  |               |
| 2 <i>C. radula</i> .    | Reeve.     | Hab. ?   |               |
| 3 <i>C. variegata</i> . | Bruguière. | Reunion. | M. Robillard. |

## FAMILY 25.—UNIONIDÆ.

## SUB-FAMILY 1.—UNIONINÆ.

GENUS.—UNIO. *Retzius*, 1788.

- |                             |             |                         |                    |
|-----------------------------|-------------|-------------------------|--------------------|
| 1 <i>U. alatas</i> .        | Lamarck.    | Rocky River.            |                    |
| 2 <i>U. Anadontoides</i> .  | Lea.        | North America.          |                    |
| 3 <i>U. Arcæformis</i> .    | "           | Tennessee.              |                    |
| 4 <i>U. cariosa</i> .       | Say.        | North America.          |                    |
| 5 <i>U. cælatus</i> .       | Conrad.     | "                       |                    |
| 6 <i>U. cæruleus</i> .      | Lea.        | <i>a</i> River Hooghly. |                    |
|                             |             | <i>b</i> Sindé.         | Mr. W.T. Blanford. |
| 7 <i>U. circulus</i> .      | "           | Wabash.                 |                    |
| 8 <i>U. complanatus</i> .   | Deshayes.   | Massachusetts.          |                    |
| 9 <i>U. compressus</i> .    | Lea.        | Hab. ?                  |                    |
| 10 <i>U. Congaræus</i> .    | "           | South Carolina.         |                    |
| 11 <i>U. Conradius</i> .    | "           | Hab. ?                  |                    |
| 12 <i>U. crassidens</i> .   | Lamarck.    | North America.          |                    |
| 13 <i>U. Cunninghamii</i> . | ?           | Australia.              |                    |
| 14 <i>U. cylindricus</i> .  | Say.        | Wabash.                 |                    |
| 15 <i>U. cyphius</i> .      | Rafinesque. | "                       |                    |
| 16 <i>U. donaciformis</i> . | Lea.        | Ohio.                   |                    |
| 17 <i>U. electrinus</i> .   | Reeve.      | " Canal.                |                    |
| 18 <i>U. elegans</i> .      | Lea.        | North America.          |                    |
| 19 <i>U. flavidens</i> .    | Benson.     | Bengal.*                |                    |
| 20 <i>U. generosus</i> ?    | Gould.      | Pegu.                   | Mr. W.T. Blanford. |
| 21 <i>U. gibbosa</i> .      | Barnes.     | India.                  |                    |
| 22 <i>U. gibbosus</i> .     | Rafinesque. | North America.          |                    |
| 23 <i>U. glans</i> .        | Lea.        | River Ohio.             |                    |
| 24 <i>U. gracilis</i> .     | Barnes.     | Ohio.                   |                    |
| 25 <i>U. Grayana</i> .      | Lea.        | China.                  |                    |
| 26 <i>U. Haysianus</i> .    | "           | Tennessee.              |                    |
| 27 <i>U. heterodon</i> .    | "           | Schuylkil Lake,         |                    |
|                             |             | North America.          |                    |
| 28 <i>U. hopetonensis</i> . | "           | North America.          |                    |
| 29 <i>U. infucatus</i> .    | Conrad.     | Georgia.                |                    |
| 30 <i>U. intermedius</i> .  | "           | Tennessee.              |                    |



31	<i>U. interruptus.</i>	Rafinesque.	Tennessee.	M.J.L.Laporte
32	<i>U. irroratus.</i>	Lea.	North America.	
33	<i>U. lachrymosus.</i>	"	Ohio.	
34	<i>U. lanceolatus.</i>	"	Virginia.	
35	<i>U. ligamentinus.</i>	Lamarck.	Ohio.	
36	<i>U. littoralis.</i>	Cuvier.	Garonne.	M.J.L.Laporte
37	<i>U. luteolus.</i>	Lamarck.	Ohio.	
38	<i>U. maculatus.</i>	Conrad.	Carolina.	
39	<i>U. margaritiferus.</i>	Linnæus.	Hab. ?	
40	<i>U. marginalis.</i>	Lamarck.	<i>a</i> Bengal. <i>b</i> Madras.**	
41	<i>U. metanever.</i>	Rafinesque.	Ohio.	
42	<i>U. multiradiata.</i>	Lea.	"	
43	<i>U. occidens.</i>	"	Susquehana.	
44	<i>U. ochraceus.</i>	Say.	New York.	
45	<i>U. parma.</i>	Benson.	Tenasserim.	
46	<i>U. patula.</i>	Lea.	Ohio.	
47	<i>U. planulatus.</i>	"	Hab. ?	
48	<i>U. pugio.</i>	Benson.	Pegu.	Mr. W.T. Blan- ford.
49	<i>U. pustulosus.</i>	Lea.	North America.	
50	<i>U. pyramidatus.</i>	"	"	
51	<i>U. Rangianus.</i>	"	Ohio River.	
52	<i>U. rectus.</i>	Lamarck.	Mississippi.	
53	<i>U. Requiemi.</i>	Michaud.	Garonne.	M.J.L.Laporte
54	<i>U. rotundatus.</i>	Lamarck.	Louisiana ?	
55	<i>U. rubiginosus.</i>	Lea.	Ohio.	
56	<i>U. Shepardianus.</i>	"	Georgia.	
57	<i>U. Shurtleffianus.</i>	"	Lower Nerbudda.	Mr. W.T. Blan- ford.
58	<i>U. simus.</i>	"	North America.	
59	<i>U. sinuatus.</i>	Lamarck.	Garonne.	
60	<i>U. Sowerbianus.</i>	Lea.	Tennessee.	
61	<i>U. splendidus.</i>	"	North America.	
62	<i>U. sulcatus.</i>	"	Ohio.	
63	<i>U. triangularis.</i>	Barnes.	"	
64	<i>U. triembolus.</i>	Benson.	Bengal.	Mr. W.T. Blanford.
65	<i>U. trigonus.</i>	Lea.	North America.	
66	<i>U. Troostensis.</i>	"	Tennessee.	
67	<i>U. tuberculatus.</i>	Barnes.	Salt River, North America.	
68	<i>U. valentinus.</i>	Rossmastri.	Albufera, Spain.	



- 69 *U. Wynegunaensis*. Lea. *a* Cortalai River.\*\*\*  
*b* River Godavery. Mr. W. T. Blandford.  
 70 *U. sp?* (near *lævis*- Benson. Calcutta. „  
*rostris*.)

GENUS.—MARGARITANA. *Schumacher*, 1817.

- 1 *M. rugosa*. Lea. North America.

SUB-GENUS.—ALASMODONTA. *Say*, 1820.

- 1 *A. marginata*. Say. Massachusetts.

GENUS.—ANODONTA. *Cuvier*, 1798.

- 1 *A. anatina*. Linnæus. Bordeaux. M. J. L. Laporte  
 2 *A. cataracta*. Say. River Hudson, U. States.  
 3 *A. Cumingii*. Lea. Malacca.  
 4 *A. cygnea*. Linnæus. Bordeaux. M. J. L. Laporte.  
 5 *A. fluviatilis*. Lea. North America.  
 6 *A. Louisiana*. „ Erie Canal.  
 7 *A. piscinalis*. Draparnaud. Gironde. M. J. L. Laporte.  
 8 *A. trapezialis*. Lamarck. Hab. ?  
 9 *A. undulata*. ? Westfeild.

GENUS.—PSEUDODON. *Gould*, 1844.

- 1 *P. inoscularis*. Gould. Hab. ?

SUB-FAMILY 3.—IRIDINÆ.

GENUS.—IRIDINA. *Lamarck*, 1819.

- 1 *I. McMoorkii*. Gould. Hab. ?

GENUS.—HYRIA. *Lamarck*, 1819.

- 1 *H. corrugata*. Lamarck. Hab. ?

GENUS.—CASTALIA. *Lamarck*, 1819.

- 1 *C. ambigua*. Sowerby. River Amazon.

FAMILY 26.—ÆTHERIIDÆ.

GENUS.—ÆTHERIA. *Lamarck*, 1808.

- 1 *Æ. semilunata*. Lamarck. West Africa.

FAMILY 27.—MYTILIDÆ.

GENUS.—MYTILUS. *Linnaeus*, 1758.

- 1 *M. edulis*. Linnæus. *a* North Atlantic M. J. L. Laporte  
 Shores.\*  
 „ (young.) „ *b* „ „  
*c* Britain.

- |   |                     |          |                       |
|---|---------------------|----------|-----------------------|
| 2 | <i>M. latus.</i>    | Lamarck. | <i>a</i> New Zealand. |
|   | „ (young.)          | „        | <i>b</i> Madras.**    |
| 3 | <i>M. unguatus.</i> | Linnæus. | Chili.                |

GENUS.—MODIOLA. *Lamarck, 1799.*

- |   |                          |          |                                 |
|---|--------------------------|----------|---------------------------------|
| 1 | <i>M. arcuata.</i>       | Hanley.  | Malacca.                        |
| 2 | <i>M. barbata.</i>       | Lamarck. | Britain.                        |
| 3 | <i>M. emarginatus.</i>   | Benson.  | Calcutta.                       |
| 4 | <i>M. marmorata.</i>     | Forbes.  | Britain.                        |
| 5 | <i>M. Metcalfei.</i>     | Hanley.  | Island of Radock. M. Robillard. |
| 6 | <i>M. modiolus.</i>      | Linnæus. | Britain.                        |
| 7 | <i>M. Philippinarum.</i> | Hanley.  | Philippines.*                   |
| 8 | <i>M. plicatula.</i>     | Lamarck. | United States.*                 |

GENUS.—LITHODOMUS. *Cuvier, 1817.*

- |   |                       |           |              |
|---|-----------------------|-----------|--------------|
| 1 | <i>L. antillarum.</i> | Philippi. | West Indies. |
| 2 | <i>L. gracilis.</i>   | „         | Malacca.     |

## FAMILY 28.—AVICULIDÆ.

GENUS.—AVICULA. *Lamarck, 1799.*

- |   |                          |          |  |
|---|--------------------------|----------|--|
| 1 | <i>A. fucata.</i>        | Gould.   | Japan.                                     |
| 2 | <i>A. margaritifera.</i> | Linnæus. | <i>a</i> Ceylon.                           |
|   |                          |          | <i>b</i> Isld. of Reunion. M. Robillard.   |
|   |                          |          | <i>c</i> Port Blair, Andamans. Dr. Gamach. |
|   |                          |          | <i>d</i> Madras.*                          |

GENUS.—PERNA. *Bruguère, 1792.*

- |   |                       |   |                                 |
|---|-----------------------|---|---------------------------------|
| 1 | <i>P. dentifera.</i>  | ? | Isld. of Reunion. M. Robillard. |
| 2 | <i>P. Morillardi.</i> | ? | „ „                             |

GENUS.—MALLEUS. *Lamarck, 1799.*

- |   |                     |          |              |
|---|---------------------|----------|--------------|
| 1 | <i>M. anatinus.</i> | Lamarck. | Moluccas.    |
| 2 | <i>M. vulgaris.</i> | Linnæus. | China Seas.* |

GENUS.—CRENATULA. *Lamarck, 1802.*

- |   |                    |          |          |
|---|--------------------|----------|----------|
| 1 | <i>C. nigrina.</i> | Lamarck. | Red Sea. |
|---|--------------------|----------|----------|

GENUS.—PINNA. *Linnæus, 1758.*

- |   |                     |           |                                  |
|---|---------------------|-----------|----------------------------------|
| 1 | <i>P. bicolor.</i>  | Chemnitz. | Malacca.                         |
| 2 | <i>P. Japonica.</i> | Hanley.   | Japan.*                          |
| 3 | <i>P. nigra.</i>    | Chemnitz. | <i>a</i> South Seas, &c.         |
|   |                     |           | <i>b</i> Tahiti. Sir W. Denison. |
| 4 | <i>P. Rumphii.</i>  | Hanley.   | Moluccas.                        |
| 5 | <i>P. saccata.</i>  | Linnæus   | Sandwich Islds.                  |



ORDER 4.—PECTINACEA. *H. and A. Adams.*

## FAMILY 1.—TRIGONIIDÆ.

GENUS.—TRIGONIA. *Bruguière, 1789.*

- 1 *T. margaratacea.* Lamarck. Tasmania.

## FAMILY 2.—ARCIDÆ.

GENUS.—ARCA. *Lamarck, 1799.*

- |                         |            |                         |                |
|-------------------------|------------|-------------------------|----------------|
| 1 <i>A. decussata.</i>  | Reeve.     | Tahiti.                 | Sir W. Denison |
| 2 <i>A. disparilis.</i> | „          | Malacca.                |                |
| 3 <i>A. fusca.</i>      | Bruguière. | Singapore.              |                |
| 4 <i>A. gibbosa.</i>    | Reeve.     | Hab. ?                  |                |
| 5 <i>A. granosa.</i>    | Linnaeus.  | <i>a</i> Philippines.   |                |
|                         |            | <i>b</i> Madras.        |                |
| 6 <i>A. holoserica.</i> | Reeve.     | Kingsmill Island.       | M. Robillard.  |
| 7 <i>A. inflata.</i>    | „          | „                       |                |
| 8 <i>A. lactea.</i>     | Linnaeus.  | <i>a</i> Britain.       |                |
|                         |            | <i>b</i> Dalmatia.      |                |
| 9 <i>A. pexata.</i>     | Say.       | Massachusetts.          |                |
| 10 <i>A. rhombea.</i>   | Born.      | Madras.                 |                |
| 11 <i>A. tortuosa.</i>  | Linnaeus.  | <i>a</i> Singapore.     |                |
|                         |            | <i>b</i> Madras.        |                |
| 12 <i>A. velata.</i>    | Sowerby.   | <i>a</i> Pacific Ocean. |                |
|                         |            | <i>b</i> Madras.        |                |
| 13 <i>A. volueris.</i>  | Reeve.     | Malacca.                |                |

GENUS.—SCAPHULA. *Benson, 1834.*

- 1 *S. delta.* W.T. Blanford. Pegu. Mr. W.T. Blanford.

GENUS.—CUCULLÆA. *Lamarck.*

- 1 *C. concamerata.* Martini. Indian Ocean.

GENUS.—PECTUNCULUS. *Lamarck, 1801.*

- 1 *P. parcipictus.* Reeve. Hab. ?  
 2 *P. tenuicostatus.* „ *a* Australia.  
*b* Madras.

## FAMILY 3.—NUCULIDÆ.

GENUS.—NUCULA. *Lamarck, 1799.*

- 1 *N. nucleus.* Turton. Britain.  
 1 *N. radiata.* Hanley. „

GENUS.—LEDA. *Schumacher, 1817.*

- 1 *L. caudata.* Donovan. Britain.

## FAMILY 4.—PECTENIDÆ.

GENUS.—PECTEN. *Bruguère*, 1789.

1	<i>P. asperimus.</i>	Lamarck.	Australia.	
2	<i>P. ballota.</i>	?	New Caledonia.	M. Robillard.
3	<i>P. flabelloides.</i>	Reeve.	<i>a</i> Moluccas. <i>b</i> Madras.*	
4	<i>P. histrionicus.</i>	Gmelin.	Ceylon.	
5	<i>P. irradians.</i>	Lamarck.	Mediterranean.	
6	<i>P. Jacobæus.</i>	Linnæus.	<i>a</i> Mediterranean. <i>b</i> Atlantic.	M.J.L.Laporte
7	<i>P. maximus.</i>	„	<i>a</i> Britain. <i>b</i> Atlantic. ?	M.J.L.Laporte
8	<i>P. niveus.</i>	Macgillivray.	Scotland.	
9	<i>P. opercularis.</i>	Linnæus, var.	<i>a b &amp; c</i> Britain, &c.*	
10	<i>P. pallium.</i>	„	Pacific&EasternSeas.	
11	<i>P. plica.</i>	„	Ceylon.*	
12	<i>P. pleuronectes.</i>	„	<i>a</i> China.* <i>b</i> Negapatam.*	
13	<i>P. radula.</i>	„	Philippines.	
14	<i>P. senatorius.</i>	Gmelin.	Moluccas, &c.*	
15	<i>P. Singaporinus.</i>	Sowerby.	Singapore.	
16	<i>P. tigrinus.</i>	Müller.	Britain.	
17	<i>P. Tranquebaricus.</i>	Gmelin.	Chikulcoody, N. of Pulicat.***	
18	<i>P. varius.</i>	Linnæus.	Seas of Europe.*	M.J.L.Laporte
19	<i>P. ventricosus.</i>	Sowerby.	St. Elena, W. Columbia.	
20	<i>P. ziczac.</i>	Linnæus.	Red Sea.	

GENUS.—LIMA. *Bruguère*, 1792.

1	<i>L. aperta.</i>	Sowerby.	Britain.	
2	<i>L. fragilis.</i>	Chemnitz.	Kingsmill Island.	M. Robillard.
3	<i>L. Loscombii.</i>	Leach.	Britain.	
4	<i>L. squamosa.</i>	Lamarck.	„	

GENUS.—PEDUM. *Bruguère*, 1792.

1	<i>P. spondyloideum.</i>	Bruguère.	Red Sea.	
---	--------------------------	-----------	----------	--

GENUS.—SPONDYLUS. *Lamarck*, 1809.

1	<i>S. unicolor.</i>	Sowerby	Hab. ?	
2	<i>S. sp. ?</i>	?	Cargados Island.	M. Robillard.

GENUS.—PLICATULA. *Lamarck*, 1801.

1	<i>P. ramosa.</i>	Reeve.	China.	
---	-------------------	--------	--------	--



## FAMILY 5.—ANOMIIDÆ.

GENUS.—ANOMIA. *Linnæus*, 1767.

- 1 A. ? sp.                      ?                      Philippines.

GENUS.—PLACUNANOMIA. *Broderip*, 1832.

- 1 P. alope.                      Gray.                      California.

GENUS.—PLACUNA. *Lamarck*, 1799.

- 1 P. placenta.                      Linnæus.                      Indian Ocean.\*

- 2 P. sella.                      Gmelin.                      „

## FAMILY 6.—OSTREIDÆ.

GENUS.—VULSELLA. *Lamarck*, 1799.

- 1 V. spongiarum.                      Lamarck.                      S. Australia.

GENUS.—OSTREA. *Linnæus*, 1758.

- 1 O. edulis ?                      Linnæus.                      Hab. ?

- 2 O. rosacea.                      Deshayes.                      Africa.

CLASS V.—BRACHIOPODA. *Dumeril*, 1806.FAMILY 1.—TEREBRATULIDÆ. *D'Orbigny*.GENUS.—TEREBRATULA. *Lwyd*, 1698.

- 1 T. caput-serpentis. Linnæus.                      Britain.

FAMILY 3.—RHYNCHONELLIDÆ. *D'Orbigny*.GENUS.—RHYNCHONELLA. *Fischer*, 1809.

- 1 R. psittacea.                      Chemnitz.                      North Seas.

FAMILY 7.—CRANIADÆ. *D'Orbigny*.GENUS.—CRANIA. *Retzius*, 1781.

- 1 C. anomala.                      Müller.                      North Atlantic.

FAMILY 8.—ORBICULIDÆ. *D'Orbigny*.GENUS.—ORBICULA. *Cuvier*, 1798.

- 1 O. lamellosa.                      Broderip.                      Peru.

FAMILY 9.—LINGULIDÆ.

GENUS.—LINGULA. *Bruguère*, 1789.

- 1 L. anatina.                      Lamarck.                      Philippines.







# ALPHABETICAL INDEX OF GENERA.

	<i>Page.</i>		<i>Page.</i>
ACHATINA.....	47	Cassia.....	13
Achatinella.....	46	Castalia.....	71
Acmae.....	35	Cataulus.....	56
Adamsiella.....	57	Cemoria.....	34
Ætheria.....	71	Cerithidea.....	24
Alasmodonta.....	71	Cerithium.....	23
Alcadia.....	58	Chama.....	67
Alexia.....	53	Chamostrea.....	61
Alycæus.....	54	Chemnitzia.....	16
Amphibola.....	51	Chenopus.....	20
Amphidesma.....	63	Chilina.....	50
Ampullacera.....	51	Chiton.....	35
Ampullaria.....	28	Chitonellus.....	35
Anatina.....	60	Choanopoma.....	56
Ancillaria.....	10	Circe.....	65
Ancylus.....	51	Clanculus.....	33
Anodonta.....	71	Clausilia.....	49
Anomia.....	75	Clavagella.....	59
Anostoma.....	42	Cleodora.....	2
Aplustrum.....	35	Columbella.....	12
Aplysia.....	36	Concholepas.....	9
Arca.....	73	Conus.....	16
Argonauta.....	1	Corbis.....	68
Arinia.....	56	Corbula.....	60
Asaphis.....	62	Crania.....	75
Aspergillum.....	59	Crassatella.....	68
Assiminia.....	58	Crassina.....	68
Atys.....	35	Cremnobates.....	26
Auricula.....	53	Crenatula.....	72
Avicula.....	72	Crepidula.....	29
		Crucibulum.....	29
BALEA.....	49	Cucullæa.....	73
Bankivia.....	33	Cultellus.....	60
Barnea.....	59	Cumingia.....	63
Bithynia.....	28	Cyclas.....	66
Boysia.....	42	Cyclophorus.....	55
Buccinum.....	6	Cyclostomus.....	57
Bulimus.....	43	Cyclotopsis.....	56
Bulla.....	35	Cyclotus.....	54
Bullæa.....	36	Cylindrella.....	48
Bullia.....	6	Cyllene.....	6
		Cymbium.....	11
CÆCUM.....	28	Cypræa.....	20
Calyptræa.....	29	Cypricardia.....	66
Cancellaria.....	23	Cyprina.....	66
Capsa.....	63	Cyrena.....	66
Cardita.....	69	Cyrtulus.....	4
Cardium.....	67	Cytherea.....	64
Carinaria.....	2		
Carychium.....	53	DACTYLINA.....	59
Cassidaria.....	13	Delphinula.....	32
Cassidula.....	53	Dentalium.....	34

	Page.		Page.
Dermatocera.....	56	Lithodomus.....	72
Diacria.....	2	Littorina.....	25
Dione.....	64	Loligo.....	1
Diplommatina.....	54	Lucidella.....	58
Dolabella.....	36	Lucina.....	68
Dolium.....	13	Lucinopsis.....	63
Donax.....	63	Lutraria.....	62
Dosinia.....	65	Lyonsia.....	61
EBURNA.....	7	MACHERA.....	60
Elenchus.....	33	Mactra.....	61
Emarginula.....	34	Magilus.....	9
Ennea.....	42	Malleus.....	72
Erato.....	12	Margarita.....	33
Eulina.....	16	Margaritana.....	71
FASCIOLARIA.....	10	Marginella.....	12
Ficula.....	13	Martesia.....	59
Fissurella.....	34	Megalomastoma.....	56
Fusus.....	3	Megaspira.....	49
GADINEA.....	34	Melampus.....	52
Galatea.....	63	Melania.....	24
Galeomma.....	68	Melanopsis.....	25
Gastrochana.....	59	Meroë.....	65
Geomelania.....	53	Mesodesma.....	63
Georissa.....	58	Mitra.....	11
Glaucanoma.....	66	Modiola.....	72
Glycimeris.....	60	Monoceros.....	9
HALIOTIS.....	33	Monodonta.....	33
Haminea.....	35	Monoptygma.....	16
Harpa.....	12	Morula.....	9
Helicina.....	58	Murex.....	2
Helix.....	36	Mya.....	60
Hipponyx.....	29	Myochama.....	61
Hippopus.....	68	Myodora.....	61
Hyalæa.....	2	Mytilus.....	71
Hybocistis.....	55	NARICA.....	29
Hydatina.....	35	Nassa.....	7
Hydrocena.....	57	Natica.....	14
Hyria.....	71	Nautilus.....	1
IANTHINA.....	2	Navicella.....	31
Iphiginea.....	63	Neæra.....	61
Iridina.....	71	Nerita.....	30
Isocardia.....	67	Neritina.....	30
KELLIA.....	68	Neritopsis.....	29
LACUNA.....	26	Novaculina.....	60
Leda.....	73	Nucula.....	73
Leptoconchus.....	9	OCTOPUS.....	1
Leptopoma.....	56	Odostomia.....	16
Leptoxis.....	25	Oleacina.....	47
Leuconia.....	53	Oliva.....	9
Lima.....	74	Omphalotropis.....	58
Limax.....	50	Oniscia.....	13
Limnæa.....	50	Opisthoporus.....	54
Lingula.....	72	Opisthostoma.....	55
		Orbicula.....	75
		Ostrea.....	75
		Otopoma.....	57
		Ovulum.....	23



<i>Page.</i>	<i>Page.</i>
PALUDINA.....	27
Paludomus.....	27
Pandora.....	61
Panopæa.....	60
Parnacella.....	50
Parmophorus.....	34
Partula.....	45
Patella.....	34
Pecten.....	74
Pectunculus.....	73
Pedum.....	74
Perna.....	72
Persona.....	5
Petricola.....	66
Pharus.....	60
Phasianella.....	31
Phcladidea.....	59
Pholas.....	59
Phorus.....	29
Phos.....	6
Physa.....	51
Pileopsis.....	29
Pinna.....	72
Pirena.....	25
Pisidium.....	66
Placuna.....	75
Placunanomia.....	75
Planaxis.....	26
Planorbis.....	51
Pleurobranchus.....	36
Pleurotoma.....	4
Plicatula.....	74
Pomatias.....	57
Proserpina.....	53
Psammobia.....	62
Psammotella.....	62
Pseudodon.....	71
Pterocera.....	19
Pterocyclos.....	54
Pupa.....	48
Pupina.....	56
Purpura.....	7
Pusionella.....	15
Pyramidella.....	15
Pyrula.....	4
Pythia.....	52
QUOYIA.....	27
RANELLA.....	5
Rangia.....	8
Rhynchonella.....	75
Ricinula.....	8
Ringicula.....	16
Rissoa.....	27
Rostellaria.....	20
Rotella.....	32
SANGUINOLARIA.....	62
Saxicava.....	60
Scalaria.....	15
Scaphula.....	73
Scrobicularia.....	63
Sigaretus.....	15
Siliquaria.....	29
Siphonaria.....	51
Solarium.....	16
Solecurtus.....	60
Solemya.....	68
Solen.....	60
Soletellina.....	62
Spiraxis.....	47
Spirula.....	1
Spondylus.....	74
Stoastoma.....	58
Stomatella.....	33
Streptaxis.....	42
Strombus.....	18
Struthiolaria.....	20
Stylifer.....	16
Succinea.....	50
TAPES.....	65
Tectura.....	34
Telescopium.....	24
Tellina.....	62
Terebellum.....	20
Terebra.....	15
Terebratula.....	75
Teredo.....	59
Thracia.....	61
Tornatella.....	35
Trichotropis.....	23
Tridacna.....	67
Trigonia.....	73
Triton.....	4
Trochatella.....	58
Trochiscus.....	33
Trochita.....	29
Trochus.....	32
Truncatella.....	53
Tudora.....	57
Turbinella.....	10
Turbo.....	31
Turritella.....	28
UMBRELLA.....	36
Ungulina.....	68
Unio.....	69
VALVATA.....	28
Velutina.....	14
Venerupis.....	66
Venus.....	64
Vermetus.....	29
Vertagus.....	24
Vitrina.....	50
Voluta.....	11
Vulsella.....	75
ZIZYPHINUS.....	33

## ERRATA.

Page 52, *for* Ariculdiæ *read* Ariculidæ.

„ 65 „ Meræ „ Meroë.

„ 68 *opposite* 1 G. Ambigua *Black mark.*















THIS BOOK IS DUE ON THE LAST DATE  
STAMPED BELOW

**AN INITIAL FINE OF 25 CENTS**

WILL BE ASSESSED FOR FAILURE TO RETURN  
THIS BOOK ON THE DATE DUE. THE PENALTY  
WILL INCREASE TO 50 CENTS ON THE FOURTH  
DAY AND TO \$1.00 ON THE SEVENTH DAY  
OVERDUE.

**BIOLOGY LIBRARY**

LD 21-10m-7,'39(402s)



M90616

QL406

M3

Biology

Library

THE UNIVERSITY OF CALIFORNIA LIBRARY



